Author Index to Volume 53

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor; with (T) are title only.

Abelson, Philip. Neutron produced activities in uranium—211(A)

Acree, S. F. Oscillograph data on the electrode capacitance of conductivity cells—923(A)

Adams, Elliot Q. (see Barnes, Bentley T.)—545

——— **and Bentley T. Barnes.** Mechanism of the positive column in mercury vapor at intermediate pressures—556

Adams, Norman I., Jr. (see Kovarik, Alois F.)—928(A)

——— (see Page, Leigh)—819

Aird, R. B. (see Strait, L. A.)—213(A)

Alaoglu, Leon and Nicholas M. Smith, Jr. Statistical theory of a scaling circuit—832

Albertson, Walter. Extension of the analyses of the spectra of neutral osmium and iridium—940(A)

——— (see Harrison, George R.)—940(A)

——— **and George R. Harrison.** Preliminary report on the analysis of the spectrum of singly ionized cerium, Ce II—108(A)

Alichanian, A. I. and S. J. Nikitin. Shape of the β-spectrum of Th C and the mass of the neutrino—767(L)

———, **A. I. Alichanow and B. S. Dželepow.** On the form of the β-spectrum of Ra E in the vicinity of the upper limit and the mass of the neutrino—766(L)

Alichanow, A. I. (see Alichanian, A. I.)—766(L)

Allen, J. S. (see Haxby, R. O.)—921(A)

——— **and J. H. Williams.** Ion optics of a five section proton accelerating tube—928(A)

———, **Robert O. Haxby and John H. Williams.** Width of the resonance peaks in disintegration of boron by protons—325(A)

Allen, Mildred. Effect of tension on the electrical resistance of single tetragonal tin crystals—108(A)

Allison, S. K. (see Skaggs, L. S.)—946(A)

——— **and Nicholas M. Smith, Jr.** Energy spectra of particles from nuclear disintegrations—946(A)

———, **G. T. Hatch, L. S. Skaggs and N. M. Smith, Jr.** Operating characteristics of a voltage multiplying circuit for nuclear disintegration experiments—204(A)

Almy, G. M. and M. Rassweiler. Absorption spectrum of caesium hydride—890

Alvarez, Luis W. Electron capture and internal conversion in gallium 67—606(L)

——— Neutron yields from deuteron reactions at high energy—326(A)

——— Search for short-lived radioelements—215(A)

——— **and William M. Brobeck.** Cloud chamber studies in the cyclotron magnetic field—213(A)

Amaldi, E. (see Fermi, E.)—493(L)

Anderson, H. L. (see Dunning, J. R.)—334(A)

Andrews, C. L. Absorption of soft x-rays in beryllium, carbon, aluminum, copper, silver and gold—679(A)

Archibald, William J. Concentration of an ideal solution in a centrifugal field of force, as a function of the time—923(A)

——— Process of diffusion in a centrifugal field of force—746

Arenberg, David L. and Percy M. Roope. Stabilized a.c. operated ultramicrometer—687(A)

Arnot, F. L. Heavy electrons and β-decay—1018(L)

Aronson, C. J. (see O'Brien, Brian)—950(A)

Astin, A. V. Nature of energy losses in air capacitors—927(A)

——— (see Curtis, H. L.)—934(A)

——— (see Curtiss, L. F.)—23, 330(A)

——— (see Korff, S. A.)—14

Bacher, R. F. (see Tomboulian, D. H.)—678(A)

——— **and D. C. Swanson.** On the scattering of fast neutrons—922(A)

——— **and D. C. Swanson.** Scattering of fast neutrons—676(A)

Bainbridge, K. T. Isotopic weight of helium by direct comparison with oxygen—922(A)

Baker, Richard F. and John T. Tate. Ionization and dissociation by electron impact in CCl_2F_2 and in CCl_4 vapor—683(A)

——— **and John T. Tate.** Ionization and dissociation of normal and isobutane by electron impact—944(A)

Balamuth, Lewis. Thermal expansion of the alkalis—669(L)

Ballard, Stanley S. Spectrographic study of the distribution of mineral elements in sugar cane—689(A)

Bancroft, Dennison. Effect of hydrostatic pressure on the susceptibility of Rochelle salt—587

——— (see Jacobs, Robert B.)—687(A)

Bardeen, J. Compressibility of the alkali metals—683(A)

——— **and E. Feenberg.** Spacing of nuclear energy levels—938(A)

Barker, E. F. (see Borden, Avis)—932(A)

Barnes, Bentley T. (see Adams, Elliot Q.)—556

——— (see Forsythe, W. E.)—678(A)

——— **and Elliot Q. Adams.** Emission of radiation in the positive column of a mercury arc—545

Barnes, S. W. (see DuBridge, L. A.)—326(A), 447

——— **and George Valley.** Long period activity induced in Cu—946(A)

Barnóthy, J. and M. Forró. On the penetrating component of the cosmic radiation—848(L)

Barr, E. S. Design and calibration of an infra-red spectrometer with a fluorite prism—852(A)

Barrett, Charles S. Origin of deformation textures—925(A)

——— Radial lines in Laue spot photograms—1021(L)

Bartlett, J. H., Jr. Stopping-power for cosmic-ray electrons—915(A)

Bartlett, Russell S. and Alan T. Waterman. Colloquium on the college board examination in physics—109(T)

Bassoe, Else (see Cashman, R. J.)—919(A)

Beach, J. Y. and K. J. Palmer. Potential barrier in ethylene chloride—685(A)

Beams, J. W. Separation of solutions by the tubular centrifuge—850(A)
——— (see Black, Sheppard A.)—924(A)
——— (see Dietrich, J. R.)—923(A)
——— **and C. Skarstrom.** Air driven tubular vacuum type centrifuge—327(A)
Bearden, J. A. Determination of e/m from the refraction of x-rays in a diamond prism—917(A)
Bell, M. E., E. A. Coomes and W. B. Nottingham. Design and construction of an electron velocity analyzer for ionization probability measurements—328(A)
Bender, David. Refractive index of air in the visible and photographic infra-red—852(A)
Benford, Frank and A. G. Worthing. Important λT relation for black-body radiation—948(A)
Berkner, L. V. (see Booker, H. G.)—924(A)
Bernet, E. J. (see Parkinson, D. B.)—642
Beth, Richard A. Apparent discrepancy among the experimental measurements of the atomic constants—681(A)
Bethe, H. A. Binding energy of the deuteron—313
——— Barytron theory of nuclear forces—938(A)
——— Magnetic moment of Li^7 in the α-particle model—842(L)
——— Oppenheimer-Phillips mechanism of d-p reactions—205(A)
——— Oppenheimer-Phillips process—39
——— Possible deviations from the evaporation model of nuclear reactions—675(A)
——— (see Konopinski, E. J.)—679(A)
——— (see Marshak, R. E.)—677(A)
——— (see Rose, M. E.)—206(A)
——— **and E. J. Konopinski.** Alternative description of the compound nucleus—688(A)
Beyer, H. G. (see Carroll, H.)—680(A), 947(A)
——— (see Powers, P. N.)—947(A)
———, **H. Carroll, C. Witcher and J. R. Dunning.** Dependence of magnetic scattering of neutrons on magnetization of iron—947(A)
Bhagavantam, S. Molecule of sulphur and its raman spectra—1015(L)
Bikerman, J. J. and J. H. Schulman. On the structure of "built-up" films on metals—909(L)
Bitter, F. New magnetic laboratory at M.I.T.—933(A)
Black, Sheppard A., J. W. Beams and L. B. Snoddy. Electrically driven vacuum-type centrifuge—924(A)
Blake, F. C. Effect of lattice enlargement upon our ideas of order *versus* disorder in crystals, including mix-crystals—333(A)
Bleakney, Walker and John A. Hipple, Jr. New mass spectrometer with improved focusing properties—521
Bless, A. A. (see Byers, W. H.)—852(A)
Blewett, John P. Reduction of barium oxide by metals at high temperature—935(A)
Bol, C. High pressure capillary lamps—214(A)
Bonner, T. W. Energy of the neutrons from the disintegration of carbon by deuterons—496(L)
——— Formation of an excited He^3 in the disintegration of deuterium by deuterons—711, 928(A)
——— (see Hudspeth, Emmett)—928(A)
Booker, H. G. and L. V. Berkner. Decisive ionospheric investigation concerning the Lorentz polarization correction—924(A)
Borden, Avis and E. F. Barker. Infra-red absorption spectrum of methyl alcohol—932(A)
Bowen, I. S. Low terms in Co VI—889
———, **R. A. Millikan and H. V. Neher.** Distribution of energies among the incoming cosmic-ray electrons—328(A)
———, **R. A. Millikan and H. V. Neher.** Energy distribution of incident cosmic-ray electrons—915(A)
———, **R. A. Millikan and H. V. Neher.** New evidence as to the nature of the incoming cosmic rays, their absorbability in the atmosphere, and the secondary character of the penetrating rays found in such abundance at sea level and below—217
———, **R. A. Millikan and H. V. Neher.** New light on the nature and origin of the incoming cosmic rays—855
———, **R. A. Millikan and H. Victor Neher.** Secondary nature of cosmic-ray effects in the lower atmosphere—214(A)
Bowls, W. E. Effect of cathode material on the second Townsend coefficient for ionization by collision in pure and contaminated N_2 gas—210(A), 293
Bozorth, R. M. and F. E. Haworth. Focusing of an x-ray beam by rocksalt crystal—538
Bradbury, Norris E. Ionization, negative ion formation, and recombination in the ionosphere—210(A)
Bramley, Arthur. Estimates of age of the planet from isotope ratios—323(A)
——— Range of cosmic-ray particles—915(A)
——— **and A. Keith Brewer.** Radioactivity of potassium—502
Breit, G. Approximately relativistic equations—153
——— **and J. R. Stehn.** Fine structure of the nuclear ground level of Li^7—459, 684(A)
——— **and E. Wigner.** Saturation requirements for nuclear forces—998
Brewer, A. Keith (see Bramley, Arthur)—502
Brickwedde, F. G. (see Dunning, J. R.)—205(A)
Brobeck, William M. (see Alvarez, Luis W.)—213(A)
Brode, Robert B. (see Corson, Dale R.)—215(A), 773
——— **and Merle A. Starr.** Nuclear disintegrations produced by cosmic rays—3, 214(A)
Brown, B. W. (see Curtiss, L. F.)—23, 330(A)
Brown, Harrison. Note on the range of occurrence of stable isotopes—846(L)
——— (see Gibson, G. E.)—846(L)
Brown, Sanborn C. and Robley D. Evans. Coaxial tube counter—914(A)
Brown, S. Leroy. Mechanical harmonic synthesizer-analyzer—333(A)
Brown, William Fuller, Jr. Domain theory of ferromagnetics under stress. Part II. Magnetostriction of polycrystalline material—482
Brubaker, Gordon. Scattering of alpha-particles by argon, oxygen, and neon—921(A)
——— (see Pollard, Ernest)—351

Bruce, W. A. Experimental verification of the quantum-mechanical dispersion theory by reflection and diffuse scattering of x-rays from zinc—802
——— **and G. E. M. Jauncey.** Experimental verification of the quantum mechanical dispersion theory by reflections and diffuse scattering of x-rays from zinc—332(A)
Bruch-Willstätter, M. and H. Sponer. Calculation of transition energies of polymorphous molecular crystals—324(A)
Brunner, Eugene. Theory of the continuous x-ray spectrum near the Duane-Hunt limit—457
Buchwald, Charles E. and Caryl P. Haskins. Biological effects of low voltage electrons—920(A)
Buck, J. H. (see DuBridge, L. A.)—326(A), 447
——— (see Strain, C. V.)—942(A)
Byers, W. H. and A. A. Bless. Polar moment of cellosolves —852(A)

Cameron, Donald M. (see Sears, William C.)—330(A)
——— **and Harald H. Nielsen.** 4.3μ fundamental band in the spectrum of CO_2—246
Campbell, Edward C. Nuclear K electron capture and negative beta-emission—206(A)
——— (see Pool, M. L.)—272
Cannon, C. V. (see Wheeler, John A.)—684(A)
Carlson, J. F. Energy losses of Pauli-Weisskopf particles—330(A)
Carr, Emma P. and Hildegard Stücklen. Ultraviolet absorption of simple hydrocarbons. IV. Unsaturated cyclic hydrocarbons in the Schumann region—109(A)
Carroll, H. (see Beyer, H. G.)—947(A)
———, **H. G. Beyer, K. Wilhelm and J. R. Dunning.** Scattering of neutrons by gases—947(A)
———, **P. N. Powers, H. G. Beyer and J. R. Dunning.** Scattering of neutrons by gases—680(A)
Carroll, Kenneth G. Van der Waals forces between symmetrical rotators—310
——— **and Henry Margenau.** Note on the binding energy of Li^6—921(A)
Cartmel, W. B. New ether-drift interferometer of high efficiency—108(A)
——— Preliminary measurements with an oblique ether-drift interferometer—949(A)
——— Theory of the ether-drift interferometer in brief—949(A)
Carwile, Preston B. On the Trouton-Noble experiment—924(A)
——— Suggested explanation of the contradiction between the Rayleigh-Jeans formula and experiment—682(A)
Cashman, R. J. and Else Bassoe. Experimental and theoretical photoelectric spectral sensitivity of strontium and magnesium—919(A)
Chapman, Seville. Carrier mobility spectra of liquids electrified by bubbling—211(A)
Chipman, R. A. Absolute measurement of resistance and reactance at frequencies of the order 300 mC/second—672(L)
Chodorow, Marvin I. (see Manning, Millard F.)—937(A)
Clark, O. (see Halpern, O.)—173
Clearman, H. E., Jr. An extension of the Bi I spectrum—941(A)
Cleveland, Forrest F. and M. J. Murray. Raman spectra of disubstituted acetylenes—330(A)
——— **and M. J. Murray.** Raman spectra of disubstituted acetylenes in the region 2100–2300 cm^{-1}—931(A)
Cobine, J. D. Effect of oxides and impurities on metallic arc reignition—911(L)
Cohen, V. W. (see Zinn, W. H.)—921(A)
Colby, W. F. (see Spees, A. H.)—326(A)
Cole, Kenneth S. and Howard J. Curtis. Electric impedance of *Nitella* during excitation—687(A)
——— **and Howard J. Curtis.** Electric impedance of single arbacia eggs—333(A)
Collins, George B. and Victor G. Reiling. Asymmetric radiation produced by high velocity electrons—205(A)
——— **and Victor G. Reiling.** Čerenkov radiation—948(A)
Colwell, R. C. (see Friend, A. W.)—945(A)
——— **A. W. Friend and D. A. McGraw.** Velocity of sound in air—686(A)
Compton Arthur H. Alternative interpretation of Jauncey's "heavy electron" spectra—431(L)
Comstock G. C. Measurement at high frequencies of the diamagnetic Faraday effect in liquids—849(A)
Constant. F. W. and J. M. Formwalt. Ferromagnetic impurities—432(L)
——— **and J. M. Formwalt.** Sensitive method of detecting magnetic impurities—852(A)
——— **and J. M. Formwalt.** Some properties of ferromagnetic impurities—933(A)
Coolidge, Albert Sprague (see James, Hubert M.)—208(A)
Coomes, Edward A. Secondary electron emission from thorium-coated tungsten—936(A)
——— (see Bell, M. E.)—328(A)
Cooter, Irvin L. (see Wenner, Frank)—927(A)
Copeland, Paul L. Secondary emission of electrons from sodium films on tantalum—328(A)
Cork, J. M. (see Curtis, B. R.)—206(A), 681(A)
——— (see Tape, Gerald F.)—676(A)
——— (see Thornton, R. L.)—922(A)
——— **and B. R. Curtis.** Relative probability of the loss of neutron and alpha-particle in iron—946(A)
——— **and R. L. Thornton.** Loss of neutrons by neutron bombardment and the radioactive isotopes of scandium —866
Cornell, S. D. (see More, Kenneth R.)—678(A), 806, 931(A)
Corson, Dale R. and Robert B. Brode. Evidence for a cosmic-ray particle of intermediate mass—215(A)
——— **and Robert B. Brode.** Specific ionization and mass of cosmic-ray particles—773
Coy, Nettie H. and H. Sponer. Evidence for a band system of antimony nitride—495(L)
Crane, H. R. Note on the existence of heavy beta-rays—317(L)
——— (see Halpern, J.)—676(A)
——— (see Ruhlig, A. J.)—266(L), 618, 683(A)
——— **and J. Halpern.** New experimental evidence for the existence of a neutrino—789
Critchfield, C. and E. Teller. On the saturation of nuclear forces—684(A), 812
Crooker, S. J. Aerodynamics applied to the golf club—927(A)

Curtis, B. R. Energy loss of positive electrons in passing through aluminum—986
——— (see Cork, J. M.)—946(A)
——— **and J. M. Cork.** Beta-radiation from activated isotopes of arsenic—681(A)
——— **and J. M. Cork.** Energy loss of positrons passing through matter—206(A)
——— **and J. Reginald Richardson.** Gamma-radiation associated with indium—942(A)
Curtis, C. W. First spark spectrum of manganese—474
Curtis, H. L., A. V. Astin and C. Matilda Sparks. Alternating current method for measuring effective mutual inductance—934(A)
Curtis, Howard J. (see Cole, Kenneth S.)—333(A), 687(A)
Curtiss, L. F. (see Korff, S. A.)—14
———, **A. V. Astin, S. A. Korff, L. L. Stockmann and B. W. Brown.** Cosmic-ray observations in the stratosphere—330(A)
———, **A. V. Astin, L. L. Stockmann, B. W. Brown and S. A. Korff.** Cosmic-ray observations in the stratosphere —23

Dancoff, S. M. and P. Morrison. Relativistic spin-orbit coupling in nuclei—211(A)
Dart, F. E. and Eugene Guth. On the thermoelastic and structure of rubber—327(A)
Davidson, W. L., Jr. and Ernest Pollard. Transmutation of titanium by Th C′ alpha-particles—929(A)
Davis, Francis J. (see Winans, J. G.)—930(A)
Dean, George R. Solubility at the grain boundaries of solid solution—202(A)
Decherd, Loraine (see Williams, Dudley)—852(A)
Delfosse, J. M. and J. A. Hipple, Jr. Use of isotopes in the study of ionization processes of polyatomic molecules—683(A)
Delsasso, L. A. (see Ridenour, Louis N.)—770(L)
——— (see Sherr, R.)—946(A)
Dempster, A. J. Atomic masses of the heavy elements—64
——— Energy content of the heavy nuclei—869
——— Isotopic constitution of gadolinium, dysprosium, erbium and ytterbium—727
——— Packing fractions of titanium, iron, copper, silver, gold and platinum—202(A)
Dennison, David M. and Z. I. Slawsky. Potential functions of the methyl halides—930(A)
Dershem, Elmer. Radiography of thin microtome sections by means of fluorescence x-radiation—202(A)
Devaney, T. Edwin (see Pietenpol, W. B.)—325(A)
Dickerson, R. T. (see Hopkins, I. I.)—850(A)
Dieke, G. H. (see Wood, R. W.)—146
Dietrich, J. R., L. B. Snoddy and J. W. Beams. Impulse breakdown in long discharge tubes—923(A)
Digges, Thomas G. Effect of carbon on the critical cooling rate of iron-carbon alloys—925(A)
Doan, Richard L. (see Jesse, William P.)—691
——— **and William P. Jesse.** Rate of production of large cosmic-ray bursts as a function of lead shield thickness —203(A)
Dodson, H. (see Nielsen, J. Rud)—331(A)
Doermann, F. W. Nonideal Lloyd's mirror in wide-angle interference—420
Dorsey, N. Ernest. Supercooling and freezing of water—925(A)
Dow, R. B. (see Thomas, B. W.)—926(A)
Draper, C. S. Acoustics of the combustion chamber—108(A)
DuBridge, L. A., S. W. Barnes, J. H. Buck and C. V. Strain. Proton induced radioactivities—447
———, **S. W. Barnes, E. O. Wiig, J. H. Buck and C. V. Strain.** Radioactivities induced by high energy protons—326(A)
Duffendack, O. S. (see Lifschutz, Harold)—941(A)
Dunning, J. R. (see Beyer, H. G.)—947(A)
——— (see Carroll, H.)—680(A), 947(A)
——— (see Powers, P. N.)—947(A)
——— **and H. L. Anderson.** High frequency systems for the cyclotrons—334(A)
———, **H. J. Hoge, J. H. Manley and F. G. Brickwedde.** Interaction of neutrons with normal and parahydrogen—205(A)
Dwight, C. H. and H. Kersten. Viscosity of sols made from x-irradiated apple pectin—926(A)
Dwyer, Robert J. Persistence of molecular vibration in collisions—324(A)
Dželepow, B. S. (see Alichanian, A. I.)—766(L)

Eckart, Carl and Francis R. Shonka. Accidental coincidences in counter circuits—752
Ehrenkranz, Florence. Sparking potential measurements in nitrogen and argon for platinum and sodium cathodes—210(A)
Eichelberger, J. F. (see Green, J. B.)—934(A)
Ellis, J. W. and E. L. Kinsey. Rotational transitions associated with radiation in water molecules in nonpolar solvents—672(L)
Elmore, W. C. Magnetic structure of cobalt—757
——— Motion photomicrographs of magnetic colloid patterns which form on cobalt crystals—933(A)
——— Surface magnetization of cobalt—108(A)
Elsasser, W. M. Note on atmospheric absorption caused by the rotational water band—768(L)
Emo, Lorenzo (see Richardson, J. Reginald)—234
Emslie, A. G. Scattering of slow positive ions at very small angles—680(A)
Epstein, Paul S. Influence of the solar magnetic field upon cosmic rays—862
Estermann, I. O., O. C. Simpson and O. Stern. Free fall of molecules—947(A)
Evans, Robley D. (see Brown, Sanborn C.)—914(A)
——— (see Goodman, Clark)—916(A)
——— **and Clark Goodman.** Substandards of very feeble radioactivity—916(A)
Ewing, D. H. (see Plesset, M. S.)—943(A)

Failla, G. X-ray generator especially designed for biological experiments—916(A)
——— Wide range ionization current meter—687(A)
Fankuchen, I. Intense monochromatic beams of x-rays—910(L)
——— On the structure of "built-up" films on metals—909(L)

Farnsworth, H. E. (see Turnbull, John C.)—944(A)
——— **and Ralph P. Winch.** On methods of producing gas free surfaces—935(A)
Feenberg, E. (see Bardeen, J.)—938(A)
——— (see Horvay, G.)—938(A)
Ference, M. (see Stephenson, R. J.)—208(A)
Fermi, E., E. Amaldi and G. C. Wick. On the albedo of slow neutrons—493(L)
Fisher, Russell A. and Edson R. Peck. Analysis of hyperfine structure of Mn I and an indicated value for the nuclear magnetic moment—685(A)
———, **Arthur S. Fry and John R. Platt.** Hollow cathode discharge as a source for Zeeman effect—934(A)
Fisk, J. B. and I. A. Getting. Compact 750 kv Van de Graaff generator for high currents—916(A)
Focke, Alfred B. Segregation of polonium in bismuth crystals—324(A)
Folsom, T. R. 600 kv a.c. generator for the production of neutrons—687(A)
Forbush, S. E. On sidereal diurnal variation in cosmic-ray intensity—682(A)
——— On variations in cosmic-ray intensity associated with magnetic storms—914(A)
Formwalt, J. M. (see Constant, F. W.)—432(L), 852(A), 933(A)
Forró, M. (see Barnóthy, J.)—848(L)
Forsythe, W. E., B. T. Barnes and Ann L. Shrider. Relative luminosity of the yellow and green mercury lines—678(A)
Foster, Donald and H. W. Highriter. Comparison of intensities of spectral lines—673(L)
Fowler, W. A. (see Oppenheimer, Jacquenette)—928(A)
———, **E. R. Gaerttner and C. C. Lauritsen.** Gamma-radiation from boron bombarded by deuterons—942(A)
———, **E. R. Gaerttner and C. C. Lauritsen.** Gamma-radiation from boron bombarded by protons—212(A), 628
Fox, G. W. and J. R. Frederick. Further study of x-ray diffraction in quartz—135
Frederick, J. R. (see Fox, G. W.)—135
Freeman, Ira M. Red shift of the nebular spectrum lines—207(A)
——— Suggestion regarding the nature of the heavy electron—606(L)
Fried, B. (see Green, J. B.)—105(L), 934(A)
——— (see Shortley, George H.)—931(A)
Friend, A. W. (see Colwell, R. C.)—686(A)
———, **J. K. Stewart and R. C. Colwell.** Vibrations of the segments of a circular plate—945(A)
Friesen, A. P. Lorenz-Lorentz constant for paraffin oil between 30 and 115 degrees centigrade—688(A)
——— Optical constants of liquid thallium—678(A)
——— Optical constants and intermetallic compounds—688(A)
Frisch, O. R., H. von Halban, Jr. and Jørgen Koch. Some experiments on the magnetic properties of free neutrons—719
Fry, Arthur S. (see Fisher, Russell A.)—934(A)
Fryer, Oscar G. Radioactivity of air, water, cave and soil gases—325(A)
Furry, W. H. On the theory of the neutral particle—679(A)
Gaerttner, E. R. (see Fowler, W. A.)—212(A), 628, 942(A)
Gamertsfelder, Carl and Newell S. Gingrich. Use of intensifying screens in x-ray diffraction work—332(A)
Gamow, G. Nuclear energy sources and stellar evolution—595
——— Tracks of stellar evolution—908(L)
——— **and E. Teller.** On the neutron core of stars—929(A)
——— **and E. Teller.** Rate of selective thermonuclear reactions—608(L)
Gardner, Irvine C. Relation of camera error to photogrammetric mapping—945(A)
Gardner, Milton E. Recombination of ions in pure oxygen as a function of pressure and temperature—75
George, W. D. Phase shifts in controlled multivibrators from 200,000 to 1 cycle per second—924(A)
Germer, L. H. and K. H. Storks. Arrangement of molecules in unimolecular and multimolecular layers—322(A)
Getting, I. A. Galactic rotation and the variation of cosmic-ray intensity—914(A)
——— Multivibrator Geiger counter circuit—103(L)
——— (see Fisk, J. B.)—916(A)
Gibson, G. E. and Harrison Brown. Relation between atomic number and isotope number for stable isotopes—846(L)
Gingrich, Newell S. (see Gamertsfelder, Carl)—332(A)
——— (see Thomas, C. D.)—944(A)
——— (see Trimble, Frank H.)—203(A), 278
——— **and C. D. Thomas.** Atomic distribution in liquid white phosphorus and the amorphous forms of red and black phosphorus—943(A)
Gish, O. H. and K. L. Sherman. Cosmic radiation and electrical conductivity in the stratosphere—434(L)
Goeppert-Mayer, M. (see Sachs, R. G.)—991
Gold, Otto (see Guth, Eugene)—322(A)
Goldberg, Leo (see Manning, Millard F.)—662
Goldsmith, H. H. (see Powers, P. N.)—947(A)
——— **and Lloyd Motz.** Spin of the neutron—947(A)
Good, Wilfred M. Permanent electrets as a function of the method of preparation—323(A)
Goodman, Clark (see Evans, Robley D.)—916(A)
——— **and Robley D. Evans.** New physical method for the determination of geologic ages—916(A)
Goranson, Roy W. and W. A. Zisman. Demonstration of the existence of permanent volume polarization in certain types of multilayers—668(L)
Gordy, Walter. Spectroscopic study of deuterium bonds—851(A)
Gorham, John E. Signs of the nuclear magnetic moments of Li^6 and K^{41}—331(A), 563
——— (see Thode, H. G.)—920(A)
Goudsmit, S. (see Spees, A. H.)—326(A)
Grahame, D. C. and G. T. Seaborg. Elastic and inelastic scattering of fast neutrons—795
Granath, L. P. (see Williams, D. T.)—685(A)
Green, G. K. and P. Gerald Kruger. Energy variations in cyclotron ion beam—927(A)
Green, J. B. (see Maxwell, H. N.)—330(A)
——— (see Peoples, J. A., Jr.)—934(A)
——— **and R. A. Loring.** Zeeman effect of selenium II—330(A)

Green, J. B., B. Fried and J. F. Eichelberger. Zeeman effect in argon—934(A)
——, **J. A. Peoples, Jr. and B. Fried.** Zeeman effect of the $p^5 d$ configurations of neon and argon—105(L)
Gross, Bernhard. On the latitude effect of the soft component of cosmic rays—607(L)
Guth, Eugene. On the diffraction of electromagnetic waves by small obstacles—688(A)
—— On the theory of the emissivity of metals—682(A)
—— On the theory of the viscosity of suspensions of ellipsoidal particles—926(A)
—— (see Dart, F. E.)—327(A)
—— (see Haas, Arthur E.)—324(A)
—— **and Otto Gold.** On the hydrodynamical theory of the viscosity of suspensions—322(A)
—— **and Josef Mayerhöfer.** On the deviations from Ohm's law at high current densities—205(A)

Haas, Arthur E. Photon emission of the sun—681(A)
—— Relation between the gravitational constant and Hubble's factor—207(A)
—— **and Eugene Guth.** Relation between Stefan's radiation law and Nernst's heat theorem—324(A)
Hafstad, L. R., N. P. Heydenburg and M. A. Tuve. Scattering of protons by protons—239
Hall, Wayne C. Thermal conductivities of mercury, sodium, and sodium amalgams in the liquid state—1004
Halpern, J. (see Crane, H. R.)—789
—— **and H. R. Crane.** Method for measuring the nuclear recoil in beta-ray emission—676(A)
Halpern, Otto and M. H. Johnson, Jr. Remarks on resonance scattering of charged particles—939(A)
——, **R. Lueneburg and O. Clark.** On multiple scattering of neutrons. I. Theory of the albedo of a plane boundary —173
Ham, W. R. (see Thomas, B. W.)—926(A)
—— **and C. B. Post.** Diffusion of hydrogen through nickel—935(A)
Hardy, James D. and T. W. Oppel. Cold sensation by radiation—920(A)
Harkins, William D. and John G. Kirkwood. Viscosity of monolayers: Theory of the surface slit viscosimeter—322(A)
—— **and Richard W. Mattoon.** Contact potential of solid films formed by evaporation and by solidification and of built-up multilayers on metals—911(L)
Harrison, Goerge R. (see Albertson, Walter)—108(A)
—— **and Walter E. Albertson.** Further description and classification of the spectrum of single ionized cerium, Ce II—940(A)
Hartman, Paul L. and Lloyd P. Smith. Linear accelerator using a quarter wave-length transmission line—677(A)
Haskins, Caryl P. (see Buchwald, Charles E.)—920(A)
Hatch, G. T. (see Allison, S. K.)—204(A)
—— (see Skaggs, L. S.)—946(A)
Hawkes, John B. Variation of magnetic double refraction with temperature in acetone and certain acetic esters—84
Haworth, F. E. (see Bozorth, R. M.)—538
Haxby, Robert O. (see Allen, James S.)—325(A)
——, **J. S. Allen and J. H. Williams.** Angular distribution of the protons from the deuteron-deuteron reaction —921(A)
Heaps, C. W. Some observations of magnetic viscosity in iron—334(A)
Heilemann, John J. Intensity relations in the low voltage helium arc—977
Henderson, M. C. (see Sherr, R.)—946(A)
Herb, R. G. (see Parkinson, D. B.)—642
Herget, C. M. (see Hubbard, J. C.)—945(A)
Herman, R. C. and R. Hofstadter. Infra-red absorption spectra of light and heavy acetic acids—940(A)
Hersey, Mayo D. Physics of lubrication, III. Note on the theory of air-lubricated journal bearings—926(A)
Herzfeld, K. F. (see Lyddane, R. H.)—947(A)
—— Reflection of Sound—899
Heydenburg, N. P. (see Hafstad, L. R.)—239
—— (see Roberts, R. B.)—374, 929(A), 1016(L)
—— **and R. B. Roberts.** Scattering of protons and deuterons by deuterium and by helium—922(A)
Hickman, R. W. (see Hunt, F. V.)—913(A)
Hicks, Victor (see Sidhu, S. S.)—207(A)
—— **and S. S. Sidhu.** Space group of pyrrhotite—207(A)
Hidnert, Peter. Thermal expansion and effects of heat treatments on the growth, density and structure of some heat-resisting alloys—925(A)
Highriter, H. W. (see Foster, Donald)—673(L)
Hill, A. G. Energy distribution of photoelectrons from sodium—184
Hipple, John A., Jr. Dissociation of ethane by electron impact—530
—— (see Bleakney, Walker)—521
—— (see Delfosse, J. M.)—683(A)
Hire, Chas. Photographic measurements of the Brownian motion—205(A), 325(A)
Hocker, J. P. (see Suits, C. G.)—670(L)
Hoffman, J. G. (see Livingston, M. Stanley)—227
—— **and M. S. Livingston.** Angular distribution of slow neutrons from a paraffin surface—1020(L)
—— **and M. Stanley Livingston.** Collimation of slow neutrons—676(A)
—— **and M. Stanley Livingston.** Studies of the properties of slow neutrons—929(A)
Hofstadter, Robert. Absorption spectra of heavy formic acid—941(A)
—— (see Herman, R. C.)—940(A)
Hoge, H. J. (see Dunning, J. R.)—205(A)
Hole, W. L., R. Wright and H. B. Wahlin. Recalescence in uranium—768(L)
Holley, Clifford. X-ray and optical properties of barium-copper-stearate films—534
Holloway, M. G. (see Livingston, M. Stanley)—922(A)
—— **and M. Stanley Livingston.** Range and specific ionization of alpha-particles—676(A)
Hopfield, John J. New absorption bands of water vapor in the extreme ultraviolet—931(A)
Hopkins, I. I., R. T. Dickerson and W. M. Nielsen. Practical applications of electronic control principles to the operation of a Wilson cloud chamber—850(A)
Horvath, W. J. (see Salant, E. O.)—943(A)

Horvay, G. and E. Feenberg. Binding energy of O^{16}—938(A)
Houston, W. V. Resonance broadening of spectral lines—213(A)
How, T. G. and K. Lark-Horovitz. New Geiger counter—334(A)
Howard, Robert A. Atomic vibrations of a Zn-Cu alloy—966
——— Study of the anisotropy of the atomic vibrations of a Zn-Cu alloy—324(A)
Howe, J. D. and I. Walerstein. Effects of fringing flux in large magnets—334(A)
Hoyt, F. C. On the penetrability of a simple type of potential barrier—673(L)
Hubbard, Donald. Some notes on the effect of the solubility of glass on the behavior of glass electrodes—935(A)
Hubbard, J. C. (see Zartman, I. F.)—944(A)
——— **and C. M. Herget.** Ultrasonic study of CO_2 near its critical point—945(A)
Hudspeth, Emmett and T. W. Bonner. Passage of fast neutrons through lead—928(A)
Hughes, A. L. and Marvin M. Mann, Jr. New method for investigating atomic electron velocities—50
——— **and Marvin M. Mann, Jr.** Profile of the Compton modified band as determined by electron scattering measurements—204(A)
Hulburt, E. O. Density and temperature of the atmosphere to about 60 km from twilight sky brightness measurements—948(A)
——— Photoelectric ionization in the ionosphere—344
——— Seasonal variation in F_2 ionization—670(L)
Hull, Albert W. New type of thermionic cathode: The migration cathode—936(A)
Humphreys, C. J. Second spectrum of xenon—940(A)
Hunt, F. V. and R. W. Hickman. Effect of source resistance on electronic stabilizer performance—913(A)
Hurst, William. Sensitive differential barometer—850(A)
——— (see Sponer, Hertha)—851(A)

Infeld, L. Electromagnetic and gravitational radiation—836, 938(A)
Inglis, D. R. Heavy particle interactions—686(A)
——— Nuclear magnetic moment of Li^7 by perturbation theory—880
——— On nuclear magnetic moments—470
——— Perturbation theory of the nuclear magnetic moment of Li^7—939(A)
Irvine, John W., Jr. (see Roberts, Arthur)—609(L)
Ives, Herbert E. Light signals around a closed path—939(A)
Iwanenko, D. and A. Sokolow. On the mathematical formalism of the theory of showers—910(L)

Jacobs, C. W. and B. E. Warren. Crystal structure of uranium—108(A)
Jacobs, Robert Byron. Face-centered to body-centered transitions in the alkali-halides—930(A)
——— **and Dennison Bancroft.** New electrostatic method for the determination of Young's modulus—687(A)
Jaffe, Hans von R. Crystalline transitions and dielectric constant—917(A)
James, Hubert M. (see Johnson, Vivian A.)—327(A)
——— **and Albert Sprague Coolidge.** Quadrupole rotation-vibration spectrum of H_2—208(A)
Jauncey, G. E. M. Heavy beta-rays?—669(L)
——— Heavy beta-rays—More theory and experimental evidence—265(L)
——— Heavy beta-rays from RaE—197(L)
——— Heavy electrons from radium E—Discussion of the evidence—319(L)
——— Heavy particles and the neutrino—106(L)
——— Position of the center of the Compton modified band—332(A)
——— Variation of characteristic temperature with the temperature of zinc crystals—203(A)
——— (see Bruce, W. A.)—332(A)
Jenkins, F. A. (see Lyman, Elisabeth Reed)—214(A)
——— **and G. D. Rochester.** Absorption spectra of diatomic fluorides in the carbon-tube furnace—213(A)
——— **and Dean E. Wooldridge.** Mass ratio of the carbon isotopes from the spectrum of Cn—137
Jesse, William P. (see Doan, Richard L.)—203(A)
——— **and Richard L. Doan.** Rate of production of very large cosmic-ray bursts as a function of lead shielding thickness—691
Johnson, M. H. (see Halpern, Otto)—939(A)
Johnson, N. G. Effect of chemical combination of the $K\alpha_{1,2}$ line of sodium—434(L)
Johnson, R. P. Construction of filament surfaces—936(A)
——— Drift of adsorbed Th on W filaments heated with d.c.—766(L)
Johnson, Thomas H. Circuits for the control of Geiger counters and for scaling and recording their impulses—914(A)
——— Cosmic radiation and the earth's magnetism—329(A)
——— Intensity of the primary cosmic radiation and its energy distribution—499, 682(A)
Johnson, Vivian A. and Hubert M. James. Effect of valence electrons on intensities in electron scattering from zinc oxide—327(A)
Jones, Creighton C. (see Ruark, Arthur)—264(L), 454, 496(L), 679(A), 853(A)
——— **and Arthur Ruark.** Stereoscopic viewing and measuring instruments for cloud chamber photographs—677(A)

Kabakjian, D. H. Luminescence of pure crystals—919(A)
Kamen, Martin (see Kurie, Franz, N. D.)—212(A)
Karapetoff, Vladimir. Scale for predicting nuclear transformations—675(A)
Kaufman, A. R. Measurement of magnetic fields and susceptibilities in solenoids—933(A)
Kellogg, J. M. B. and Norman F. Ramsey. On the magnetic moments of neon and argon—331(A)
Kenty, Carl. Reversible clean-up effect in low pressure mercury vapor discharges—936(A)
Kersten, H. (see Dwight, C. H.)—926(A)
Kiess, C. C. Infra-red arc spectrum of germanium—931(A)
King, Allen. Photoelectric and thermionic investigations of thoriated tungsten surfaces—570

Kingdon, K. H. and H. E. Tanis, Jr. Experiments with a condenser discharge x-ray tube—128
Kinsey, E. L. (see Ellis, J. W.)—672(L)
Kip, Arthur F. Positive-point to plane discharge in air at atmospheric pressure—210(A)
Kirkwood, John G. (see Harkins, William D.)—322(A)
Kleis, J. D. Erratum: Ferromagnetic anisotropy of nickel-iron crystals at various temperatures—848(L)
Knauss, Harold P. (see Paul, Fred W.)—930(A)
Knipp, Julian K. Quadrupole-quadrupole interatomic forces—734
Knowlton, John W. and Frederick D. Rossini. Heat of combustion of tetramethylmethane—946(A)
Koch, Jørgen (see Frisch, O. R.)—719
Koch, W. R. Variation of contrast with wave-length in photographic materials—325(A)
Kolhörster, W. Cosmic rays; barometric effect, variations of second kind and disturbances produced by the earth's magnetic field—768(L)
Kondorsky, E. Magnetic anisotropy of ferromagnetic crystals in weak fields and reversible susceptibility—1022(L)
——— On magnetic anisotropy in ferromagnetic crystals in weak fields—319(L)
Konopinski, E. J. (see Bethe, H. A.)—688(A)
——— **and H. A. Bethe.** Mean life of rubidium 87—679(A)
Korff, S. A. Bursts in cosmic-ray ionization in the equatorial zone—914(A)
——— (see Curtiss, L. F.)—23, 330(A)
———, **L. F. Curtiss and A. V. Astin.** Latitude effect in cosmic radiation at high altitudes—14
Kovarik, Alois F. and Norman I. Adams, Jr. Disintegration constant of thorium—928(A)
Kruger, P. Gerald (see Green, G. K.)—927(A)
———, **W. E. Shoupp, R. E. Watson and F. W. Stallmann.** Scattering of neutrons by deuterons—1014(L)
Kuper, J. B. H. Electronic absorption photometer—920(A)
——— Scattering of fast electrons in gases—993
Kurie, Franz N. D. On some operating characteristics of a cloud chamber designed for use through a range of pressures—215(A)
——— **and Martin Kamen.** On the disintegration of nitrogen by neutrons; further experiments in a low pressure cloud chamber—212(A)
Kusch, P. (see Rabi, I. I.)—318(L), 495(L)

Lamb, W. E., Jr. and L. I. Schiff. On the electromagnetic properties of nuclear systems—651
——— **and R. Serber.** Theory of neutron-deuteron impacts—215(A)
——— **and A. J. F. Siegert.** Production of pairs by fast electrons—211(A)
Landshoff, Rolf. Theory of the x-ray absorption edges and their fine structure in ionic compounds—332(A)
Langer, Lawrence M. (see Mitchell, Allan C. G.)—505, 675(A)
Langer, R. M. Nature of the penetrating component of the cosmic radiation—494(L)
Lark-Horovitz, K. (see How, T. G.)—334(A)
Lauritsen, C. C. (see Fowler, W. A.)—212(A), 628, 942(A)
Lawson, J. L. (see Lifschutz, Harold)—204(A)
——— **and A. W. Tyler.** Improvement in Geiger-Müller tube design—605(L)
Leverenz, H. W. Relative emission spectra of zinc silicates and other cathodoluminescent materials—919(A)
Levy, Sam. (see Ramberg, Walter)—945(A)
Lewis, Arthur B. Effect of humidity and irradiation on the 2.0 cm sphere gap—850(A)
Lifschutz, Harold. Vacuum tube frequency meter—950(A)
——— **and O. S. Duffendack.** Simple method for determining counting losses of single scale recorders—941(A)
——— **and J. L. Lawson.** Vacuum tube scale of eight circuit—204(A)
Lindsay, R. B. Filtration of oblique plane compressional waves in a stratified medium—944(A)
Livingood, J. J. and G. T. Seaborg. Long lived radio cobalt isotopes—847(L)
——— **and G. T. Seaborg.** Radioactive iodine isotopes—1015(L)
——— **and G. T. Seaborg.** Radio isotopes of nickel—765(L)
Livingston, M. Stanley (see Hoffman, J. G.)—676(A), 929(A), 1020(L)
——— (see Holloway, M. G.)—676(A)
——— **and J. G. Hoffman.** Slow neutron disintegration of B^{10} and Li^6—227
——— **and M. G. Holloway.** Alpha-particle mean range standards—922(A)
Locher, Gordon L. Photoelectric Geiger-Müller counters with caesium cathodes—333(A)
——— (see Roberts, R. B.)—1016(L)
Loring, R. A. (see Green, J. B.)—330(A)
Lu, Hoff. Low temperature thermal source of Li ions—845(L)
Lueneburg, R. (see Halpern, O.)—173
Luyet, Basile J. Existence of a vitreous state in gelatin gels—323(A)
Lyddane, R. H. and K. F. Herzfeld. Lattice vibrations in polar crystals—948(A)
Lyman, Elisabeth Reed. Rotational energy distribution of OH molecules from the λ3064 band—379
——— **and F. A. Jenkins.** Rotational energy distribution of OH molecules from the λ3064 band—214(A)

Manley, J. H. (see Dunning, J. R.)—205(A)
Mann, Marvin M., Jr. (see Hughes, A. L.)—50, 204(A)
Mann, W. B. Nuclear transformations produced in zinc by alpha-particle bombardment—212(A)
Manning, Millard F. and Marvin I. Chodorow. Electronic energy bands in metallic tungsten—937(A)
——— **and Leo Goldberg.** Self-consistent field for iron—662
——— **and Jacob Millman.** Note on numerical integration—673(L)
Margenau, H. Excited states of the alpha-particles—198(L)
——— (see Carroll, K. G.)—921(A)
——— (see Tyrrell, W. A., Jr.)—939(A)
——— **and W. S. Wilson.** Pressure shifts of spectral lines—941(A)

Marshak, R. E. and H. A. Bethe. Electron pair theory of heavy particle interaction and the Rabi effect—677(A); Erratum 950(A)
Martin, S. T. Relative work functions and adsorptivities of the crystallographic planes of tungsten—937(A)
Mattoon, Richard W. (see Harkins, William D.)—911(L)
Maxfield, Frederick A. Characteristics of the glow-arc transition in mercury vapor—204(A)
Maxwell, H. N. and J. B. Green. Zeeman effect of gold—330(A)
Mayerhöfer, Josef. (see Guth, Eugene)—205(A)
McCarthy, John T. Collisions of alpha-particles with neon and deuterium nuclei—30
McGraw, D. A. (see Colwell, R. S.)—686(A)
McKeehan, L. W. Magnetic interaction in Heusler alloy—199(L)
——— Magnetic interaction in homogeneously strained ferromagnetic crystals—301
——— Magnetic interaction in pyrrhotite and in magnetite—307
McKibben, J. L. (see Parkinson, D. B.)—642
Meissner, K. W. Investigation of hyperfine structure of spectral lines from atomic beams—677(A)
——— Isotopic shift in the spectrum of magnesium MgI—931(A)
Menzel, D. H. (see O'Brien, Brian)—950(A)
Merritt, Ernest. Edward Leamington Nichols—1
Miller, Franklin, Jr. and Lyman G. Parratt. On the determination of single crystal x-ray diffraction patterns from two-crystal spectrometer rocking curves—200(L)
Miller, L. F. Factors affecting the measurement of solar radiation by pyrheliometers—948(A)
Millikan, R. A. (see Bowen, I. S.)—214(A), 217, 328(A), 855, 915(A)
Millman, Jacob (see Manning, Millard F.)—673(L)
Millman, S. (see Rabi, I. I.)—318(L), 495(L)
———, **I. I. Rabi and J. R. Zacharias.** Absolute nuclear moment of indium 115—331(A)
———, **I. I. Rabi and J. R. Zacharias.** On the nuclear moments of indium—384
Mitchell, Allan C. G. Long period activity of indium produced by slow neutrons—269
——— **and Lawrence M. Langer.** Nuclear isomers of In^{116}—505, 675(A)
Mitchell, F. H. Construction and use of Lissajous figures—850(A)
Mitchell, H. Rees. Electrical behavior of thin metallic films condensed at low temperatures—250
Mohler, Fred L. Cesium discharges under conditions of nearly complete ionization—683(A)
——— Resistivity and power input in a columnar discharge under conditions of nearly complete ionization—923(A)
Montgomery, C. G. (see Ramsey, W. E.)—196(L)
——— **and D. D. Montgomery.** Energy flux of the corpuscular cosmic radiation—193, 329(A)
——— **and D. D. Montgomery.** Multiplicative theory of showers as applied to large bursts of cosmic-ray ionization—682(A), 955
Montgomery, D. D. (see Montgomery, C. G.)—193, 329(A), 682(A), 955
——— (see Ramsey, W. E.)—196(L)
Mooney, Rose C. L. X-ray analysis of the structure of tetramethyl ammonium dichloriodide crystals—918(A)
——— X-ray crystal structure study of tetramethyl ammonium tri-iodide—851(A)
More, Kenneth R. and S. D. Cornell. Absorption spectra of SrH and SrCl—678(A)
——— **and S. D. Cornell.** Bands of the *D* system of SrH—931(A)
——— **and S. D. Cornell.** Band spectra of SrCl and SrH—806
Morgan, K. Z. (see Nielsen, W. M.)—915(A)
Morgan, Raymond, Sylvia Steckler and Edward B. Schwartz. X-ray diffraction study of grain boundaries in steel—918(A)
Morrison, P. (see Dancoff, S. M.)—211(A)
Morse, Philip M. (see Schecter, Harry)—107(A)
Motz, Lloyd. (see Goldsmith, H. H.)—947(A)
Murray, M. J. (see Cleveland, Forrest F.)—330(A), 931(A)
Myers, R. D. Angular distribution of resonance disintegration products—325(A)

Neddermeyer, Seth H. Penetrating cosmic-ray particles—102(L)
Neher, H. V. East-west effect in southern India—328(A)
——— (see Bowen, I. S.)—855, 214(A), 217, 328(A), 855, 915(A)
——— (see Pickering, W. H.)—329(A)
——— **and W. H. Pickering.** Latitude effect for cosmic-ray showers—111
——— **and W. H. Pickering.** Modified high speed Geiger counter circuit—316(L)
——— **and W. H. Pickering.** New techniques in the use of Geiger counters—214(A)
Nelson, Edward B. Optical activity of nickel sulfate α-hexahydrate—849(A)
Nielsen, Alvin H. Infra-red absorption by $C^{13}O_2^{16}$ at 4.375μ—983
Nielsen, Harald H. (see Cameron, Donald M.)—246
——— (see Sears, William C.)—330(A)
Nielsen, J. Rud, N. E. Ward and H. Dodson. Raman spectra of some inorganic compounds—331(A)
Nielsen, W. M. (see I. I. Hopkins)—850(A)
——— **and K. Z. Morgan.** Absorption of the penetrating component of the cosmic radiation—915(A)
Nier, Alfred O. Isotopic constitution of calcium, titanium, sulphur and argon—282
——— Isotopic constitution of uranium and the half-life of actino-uranium—922(A)
——— Isotopic constitution of Xe, Kr, As, Cs, I and Be—109(A)
——— Variations in the relative abundances of the lead isotopes—680(A)
Nikitin, S. J. (see Alichanian, A. I.)—767(L)
Nix, Foster C. Vacuum furnace for the production of single crystals of metals and alloys—917(A)
Nordheim, G. (see Sklar, A. L.)—932(A)
——— (see Sponer, H.)—932(A)
Nordheim, L. W. New analysis of cosmic radiation including the hard component—329(A), 694

Nordheim, L. W. and E. Teller. On the production of heavy electrons—937(A)
Nottingham, W. B. Ionization of mercury atoms as a function of the bombarding electron energy—328(A)
——— (see Bell, M. E.)—328(A)
Nuckolls, R. (see Zener, C.)—100
Nusbaum, C. Precision x-ray camera for high temperatures—918(A)

Obert, Leonard and C. H. Shaw. Study of the *K* fluorescent x-ray lines of chemical compounds—919(A)
O'Brien, Brian. (see Stewart, Harold S., Jr.)—949(A)
——— **and Harold S. Stewart, Jr.** Photochemical method for the determination of atmospheric ozone—949(A)
———, **D. H. Menzel, H. S. Stewart, Jr. and C. J. Aronson.** Isophot contours of polarized light photographs of the solar corona—950(A)
Oldenberg, O. Artificial radioactivity of tantalum—35, 109(A)
——— **and F. F. Rieke.** Absorption spectrum as a quantitative test for free hydroxyl—941(A)
Oppel, T. W. (see Hardy, James D.)—920(A)
Oppenheimer, Jacquenette and W. A. Fowler. Scattering and loss of energy of fast electrons and positrons in lead—928(A)
Oppenheimer, J. R. and R. Serber. Note on boron plus proton reactions—636
Otis, W. (see Zener, C.)—100

Page, Chester H. Van der Waals forces in helium—426
Page, Leigh and Norman I. Adams, Jr. Electrical oscillations of a prolate spheroid. Paper I—819
Palmer, K. J. (see Beach, J. Y.)—685(A)
Parkinson, D. B., R. B. Herb, E. J. Bernet and J. L. McKibben. Electrostatic generator operating under high air pressure—operational experience and accessory apparatus—642
Parratt, L. G. Widths of double-ionization x-ray energy states—679(A)
——— (see Miller, Franklin, Jr.)—200(L)
——— (see Richtmyer, F. K.)—678(A)
Paul, Fred W. and Harold P. Knauss. Rotational structure of the $^2\Sigma - {}^3\Pi$ bands of BF—930(A)
Peck, Edson R. (see Fisher, Russell A.)—685(A)
Peoples, J. A., Jr. (see Green, J. B.)—105(L)
——— **and J. B. Green.** Zeeman effect in neon—934(A)
Perrier, C., M. Santangelo and E. Segrè. Radioactive isotopes of zinc and cobalt—104(L)
Perry, Tom. Cyclotron magnet-current stabilizer—943(A)
Petersen, Max. Magnetic susceptibility variations of lead oxide—933(A)
Phillips, L. W. Seventh spectrum of chlorine (Cl VII)—248
Phillips, M. Multipole radiation probabilities in light nuclei—681(A)
Phipps, T. E. (see Seifert, R. L. E.)—493(L)
Pickering, W. H. Preliminary experiments with a cosmic-ray telescope—335(A)
——— Production of cosmic-ray showers at great depths—215(A)
——— (see Neher, H. V.)—111, 214(A), 316(L)
——— **and H. V. Neher.** Latitude effect for cosmic-ray showers—329(A)
Pidduck, F. B. Kinetic theory of the motion of ions in gases—197(L)
Pierce, John Alvin. Abnormal ionization in the *E* region of the ionosphere—942(A)
Pietenpol, W. B. and T. Edwin Devaney. Anodic properties of the aluminum cell—325(A)
Pike, E. W. Proposed new mechanism in excited neon—920(A)
Platt, John R. (see Fisher, Russell A.)—934(A)
Plesset, M. S. and D. H. Ewing. Nuclear excitation functions for high energy charged particles—943(A)
Plyler, E. K. (see Shearin, P. E.)—851(A)
——— (see White, J. W.)—932(A)
Podolsky, Boris. On Eddington's treatment of Dirac's equation—591
Pollard, Ernest. Transmutation of scandium by Th C′ alpha-particles—679(A)
——— (see Davidson, W. L., Jr.)—929(A)
———, **Howard L. Schultz and Gordon Brubaker.** Emission of neutrons from argon, chlorine, aluminum and some heavier elements under alpha-particle bombardment—351
Pool, M. L. Fast neutrons—707
——— Few related experiments with fast neutrons—334(A)
——— Induced radioactivity in silver by fast neutrons—206(A)
——— Isomers of radioindium—611(L)
——— Radioactivity induced in the rare earth elements by fast neutrons—326(A)
——— Radioactivity in silver induced by fast neutrons—116
——— **and Edward C. Campbell.** Note on *K* electron capture and isomerism in radiosilver—272
——— **and L. L. Quill.** Radioactivity induced in the rare earth elements by fast neutrons—437
Post, C. B. (see Ham, W. R.)—935(A)
Powell, Wilson M. Convenient light source for a ten inch Wilson cloud chamber—327(A)
Powers, P. N. (see Carroll, H.)—680(A)
———, **H. H. Goldsmith, H. G. Beyer and J. R. Dunning.** Dependence of neutron interaction with nuclei on neutron energy—947(A)
Primakoff, H. On the superposition of nuclear forces—938(A)

Quill, L. L. (see Pool, M. L.)—437

Rabi, I. I. (see Millman, S.)—331(A), 384
———, **S. Millman, P. Kusch and J. R. Zacharias.** Magnetic moments of $_3Li^6$, $_3Li^7$ and $_9F^{19}$—495(L)
———, **J. R. Zacharias, S. Millman and P. Kusch.** New method of measuring nuclear magnetic moment—318(L)
Ramberg, Walter and Sam Levy. Vibration of rotating propeller blades—945(A)
Ramsey, Norman F. (see Kellogg, J. M. B.)—331(A)

Ramsey, W. E., C. G. Montgomery and D. D. Montgomery. Artificial radioactivity produced by cosmic-rays —196(L)
Rassweiler, M. (see Almy, G. M.)—890
Razor, C. T. Hysteresis testing with cathode rays—851(A)
Reiling, Victor G. (see Collins, George B.)—205(A), 948(A)
Ribner, H. S. and F. O. Wollan. Determination of the characteristic temperature of MgO from x-ray measurements—332(A), 972
Richardson, J. Reginald. Gamma-radiations from Eu^{152} and Au^{198}—942(A)
——— Gamma-radiation from N^{13}—610(L)
——— Radiations emitted from artificially produced radioactive substances. IV. Further studies on the gamma-rays from several elements—124
——— (see Curtis, B. R.)—942(A)
——— **and Lorenzo Emo.** Photodisintegration of the deuteron by the gamma-radiation from Na^{24}—234
Richtmyer, F. K. and L. G. Parratt. Determination of widths of energy states: argon *K* absorption limit—678(A)
Ridenour, L. N. (see Sherr, R.)—946(A)
———, **L. A. Delsasso, M. G. White and Rubby Sherr.** Artificial radioactivity produced by protons—770(L)
Rieke, F. F. (see Oldenberg, O.)—941(A)
Roberts, Arthur and John W. Irvine, Jr. Concentration of radiohalides, and failure to observe gamma-rays from I^{128}—609(L)
Roberts, R. B. (see Heydenburg, N. P.)—922(A)
——— **and N. P. Heydenburg.** Formation of Be^{7}—929(A)
——— **and N. P. Heydenburg.** Further observations on the production of N^{13}—374
———, **N. P. Heydenburg and G. L. Locher.** Radioactivity of Be^{7}—1016(L)
Robertson, H. P. Invariant theory of isotropic turbulence —939(A)
Robertson, Randal M. Force on the cathode of a copper arc—578
Rochester, G. D. (see Jenkins, F. A.)—213(A)
Rodgers, Eric. Probable errors in counts from Geiger-Müller counters—850(A)
Rogers, F. T., Jr. and Marguerite M. Rogers. Energy-range relations for deuterons, protons and alpha-particles—713
Rogers, Marguerite M. (see Rogers, F. T., Jr.)—713
Roope, Percy M. (see Arenberg, David L.)—687(A)
Rose, M. E. Focusing and maximum energy of ions in the cyclotron—392
——— Gamma-radiation from proton bombardment of carbon—844(L)
——— Magnetic field corrections in the cyclotron—715
——— Maximum energy of ions from the cyclotron—675(A)
——— Multiple scattering of electrons—937(A)
——— **and H. A. Bethe.** On the theory of focusing in the cyclotron—206(A)
Rossini, Frederick D. (see Knowlton, John W.)—946(A)
Rostagni, Antonio. On the sensitivity of the balanced space charge method for detecting ionization of gases by collision of ions and atoms—729
Ruark, Arthur. Multivibrator Geiger counter circuit—316(L)
——— (see Jones, Creighton)—677(A)
——— **and Creighton C. Jones.** Cloud chamber evidence against the existence of heavy beta-particles—454
——— **and Creighton Jones.** Collision relations—853(A)
——— **and Creighton Jones.** Evidence against the existence of heavy beta-particles—264(L), 679(A)
——— **and Creighton C. Jones.** Further evidence against heavy beta-particles—496(L)
Ruhlig, A. J. and H. R. Crane. Absorption of high energy electrons. Part III—618
——— **and H. R. Crane.** Energy loss of electrons in lead—683(A)
——— **and H. R. Crane.** Evidence for a particle of intermediate mass—266(L)
Rumbaugh, L. H. (see Tate, John T.)—928(A)

Sachs, R. G. and M. Goeppert-Mayer. Calculations on a new neutron-proton interaction potential—991
Sagane, R. Minimum neutron energy to produce neutron loss process and its application to the measurement of *Q* values—492(L)
——— Radioactive isotopes of Cu, Zn, Ga and Ge—212(A)
Salant, E. O. and W. J. Horvath. Absorption of slow neutrons by chlorine—943(A)
Sambursky, S. and M. Schiffer. Static universe and nebular red shift. II—256
Santangelo, M. (see Perrier, C.)—104(L)
Schecter, Harry and Philip M. Morse. An acoustical study of the intake process in an internal-combustion engine—107(A)
Schiff, L. I. (see Lamb, W. E., Jr.)—651
Schiffer, M. (see Sambursky, S.)—256
Schneider, Edwin G. Cosmic-ray ionization in the neighborhood of a lead block—615
Schremp, E. J. Method of identifying the primary cosmic rays—915(A)
Schubauer, G. B. (see Skramstad, H. K.)—927(A)
Schulman, J. H. (see Bikerman, J. J.)—909(L)
Schultz, Howard L. Disintegration of Al by alpha-particles—929(A)
——— Disintegration of Be by alpha-particles—681(A)
——— Disintegration of the deuteron by alpha-particles—622
——— (see Pollard, Ernest)—351
Schwartz, Edward B. (see Morgan, Raymond)—918(A)
Schwarz, W. M. Effect of temperature on the reflection of x-rays from cadmium—919(A)
Scott, G. W., Jr. (see Smith, Lloyd P.)—677(A)
Seaborg, G. T. (see Grahame, D. C.)—795
——— (see Livingood, J. J.)—765(L), 847(L), 1015(L)
Sears, William C., Donald M. Cameron and Harald H. Nielsen. Infra-red absorption by the selenium hydrides —330(A)
Seeger, R. J. and E. Teller. On the electrical breakdown in alkali halides—923(A)
Seely, S. (see Zinn, W. H.)—921(A)
Segrè, E. (see Perrier, C.)—104(L)

Seifert, R. L. E. and T. E. Phipps. Evidence of a periodic deviation from the Schottky line for tungsten—493(L)
Seitz, Frederick. Alkali halide-thallium phosphors—685(A)
Serber, R. On the dynaton theory of nuclear forces—211(A)
——— (see Lamb, W. E., Jr.)—215(A)
——— (see Oppenheimer, J. R.)—636
Share, Simon S. Excited states of the H^3 and He^4 nuclei—875
Shaw, A. E. New method for the precision determination of e/m for electrons—208(A)
——— (see Stephenson, R. J.)—208(A)
Shaw, C. H. Widths and relative intensities of L series lines of the rare earth elements—940(A)
——— (see Obert, Leonard)—919(A)
Shearin, P. E. and E. K. Plyler. Calibration wave-lengths for infra-red spectrometers—851(A)
Shenstone, A. G. New continuum in the spectrum of helium—941(A)
Sherman, K. L. (see Gish, O. H.)—434(L)
Sherr, Rubby (see Ridenour, Louis N.)—770(L)
———, **M. C. Henderson, M. G. White, L. A. Delsasso and L. N. Ridenour.** Artificial radioactivity produced by proton bombardment—946(A)
Shonka, Francis R. (see Eckart, Carl)—752
Shortley, George H. and Bernard Fried. Theory of complex spectra—931(A)
——— **and R. Weller.** Numerical solution of Laplace's equation—207(A)
Shoupp, W. E. (see Kruger, P. G.)—1014(L)
Shrader, J. E. Three-component accelerometer—333(A)
Shrider, Ann L. (see Forsythe, W. E.)—678
Sidhu, S. S. X-ray investigation of the form of acetylsalicylic acid in certain sugars—918(A)
——— (see Hicks, Victor)—207(A)
——— **and Victor Hicks.** On the superstructure and magnetism of pyrrhotite—207(A)
Siegert, A. J. F. (see Lamb, W. E., Jr.)—211(A)
Simpson, O. C. (see Estermann, I.)—947(A)
Singer, George (see Taylor, Lauriston S.)—916(A)
Skaggs, L. S. (see Allison, S. K.)—204(A)
———, **G. T. Hatch and S. K. Allison.** Efficiency of disintegration of beryllium under proton bombardment—946(A)
Skarstrom, C. (see Beams, J. W.)—327(A)
Skinner, Selby M. Film lubrication of the journal bearing of finite width—927(A)
Sklar, A. L. (see Sponer, H.)—932(A)
———, **H. Sponer and G. Nordheim.** Comparison of the absorption spectra of gaseous and solid benzene—932(A)
Skramstad, H. K. and G. B. Schubauer. Application of thermal diffusion to the study of turbulent air flow—927(A)
Slater, J. C. Diamagnetism of small regions and the superconducting state—208(A)
Slawsky, Zaka I. Centrifugal distortion of axial molecules—924(A)
——— (see Dennison, David M.)—930(A)
Smith, Alpheus W. (see Walker, J. W.)—140
Smith, C. S. Capacity controlled magnetic suspension—933(A)
——— Vacuum type high speed electrostatic motor—688(A)
Smith, Lloyd P. (see Hartman, Paul L.)—677(A)
——— **and G. W. Scott, Jr.** Factors governing yield from ion sources using focused beams—677(A)
Smith, Nicholas M., Jr. (see Alaoglu, Leon)—832
——— (see Allison, S. K.)—204(A), 946(A)
Snoddy, L. B. (see Black, Sheppard A.)—924(A)
——— (see Dietrich, J. R.)—923(A)
Snow, Chester. Mutual inductance between two coaxial helical wires—934(A)
Snyder, H. Transition effects of cosmic rays in the atmosphere—960
Sokolow, A. (see Iwanenko, D.)—910(L)
Sparks, C. Matilda (see Curtis, H. L.)—934(A)
Spees, A. H. (see Zahn, C. T.)—357, 365, 511
———, **W. F. Colby and S. Goudsmit.** Capture cross section for thermal neutrons—326(A)
Sponer, H. (see Bruch-Willstätter, M.)—324(A)
——— (see Coy, Nettie H.)—495(L)
——— (see Sklar, A. L.)—932(A)
——— **and William Hurst.** Portable eagle mounting for a 3 m grating—851(A)
———, **G. Nordheim and A. L. Sklar.** On the analysis of the absorption spectrum of benzene at 2700–2200A—932(A)
Stallmann, F. W. (see Kruger, P. G.)—1014(L)
Starr, Merle A. Production of cosmic-ray showers in lead—6
——— (see Brode, Robert B.)—3, 214(A)
Staub, H. and W. E. Stephens. Neutrons from boron plus deuterons—212(A)
Steckler, Sylvia (see Morgan, Raymond)—918(A)
Stehn, J. R. (see Breit, G.)—459, 684(A)
Steigman, Joseph. Concentration of radioactive copper by use of a high speed rotating cathode—771(L)
Stephens, William E. Neutrons from lithium plus deuterons—212(A), 223
——— (see Staub, H.)—212(A)
Stephenson, R. J., M. Ference and A. E. Shaw. Production of uniform magnetic fields—208(A)
Stern, O. (see Estermann, I.)—947(A)
Stevenson, A. F. On the lower bounds of Weinstein and Romberg in quantum mechanics—199(L)
Stewart, G. W. Variation of apparent ionic volumes with concentration in aqueous solutions—323(A)
——— X-ray diffraction in ionic solutions—202(A)
Stewart, Harold S., Jr. (see O'Brien, Brian)—949(A), 950(A)
——— **and Brian O'Brien.** Automatic spectrograph and accessory equipment for solar spectrum photography—949(A)
Stewart, J. K. (see Friend, A. W.)—945(A)
Stockmann, L. L. (see Curtiss, L. F.)—23, 330(A)
Storks, K. H. (see Germer, L. H.)—322(A)
Strain, C. V. (see DuBridge, L. A.)—326(A), 447
——— **and J. H. Buck.** Additional radioactivities induced by high energy protons—943(A)
Strait, L. A. and R. B. Aird. Detection of cocaine-HCl in cerebrospinal fluid by spectroscopic analysis—213(A)

Straley, J. W. (see Walker, J. W.)—140
Stranathan, J. D. Electric moment of the methyl and ethyl alcohol molecules—323(A)
Street, J. C. Review of the evidence for the existence of a new particle—109(T)
Stücklen, Hildegard (see Carr, Emma P.)—109(A)
Suits, C. G. Multiple states in the high pressure discharge —609(L)
——— **and J. P. Hocker.** Role of oxidation in arc cathode —670(L)
Swanson, D. C. (see Bacher, R. F.)—676(A), 922(A)

Tamm, Ig. Transmutations of the cosmic-ray electrons and the nuclear forces—1016(L)
Tanis, H. E., Jr. (see Kingdon, K. H.)—128
Tape, Gerald F. and J. M. Cork. Induced radioactivity in tellurium—676(A)
Tarasov, L. P. Demagnetization coefficient of oblate spheroids—105(L)
Taschek, Richard (see Williams, Dudley)—851(A)
——— **and Dudley Williams.** Infra-red absorption spectrum of a liquid crystal—852(A)
Tate, John T. (see Baker, Richard F.)—683(A), 944(A)
———, **L. H. Rumbaugh and J. H. Williams.** Design and construction of the Minnesota pressure electrostatic generator—928(A)
Taylor, John K. (see Tilton, Leroy W.)—918(A)
Taylor, Lauriston S. and George Singer. Measurement of super-voltage radiation with the standard ionization chamber—916(A)
Teller, E. (see Critchfield, C.)—684(A), 812
——— (see Gamow, G.)—608(L), 929(A)
——— (see Nordheim, L. W.)—937(A)
——— (see Seeger, R. J.)—923(A)
——— **and J. A. Wheeler.** On the rotation of atomic nuclei—684(A)
——— **and J. A. Wheeler.** On the rotation of the atomic nucleus—778
Thein, Louis P. Photoelectric sensitization of aluminum—287
Thode, H. G., John E. Gorham and H. C. Urey. Further concentration of N^{15}—920(A)
Thomas, B. W., R. B. Dow and W. R. Ham. Absolute viscometer for lubricating oils at high pressure—926(A)
Thomas, C. D. (see Gingrich, Newell S.)—944(A)
——— **and Newell S. Gingrich.** Atomic distribution in liquid potassium at 70°C and at 395°C—943(A)
Thornton, R. L. Radioactive isotopes of zinc—326(A)
——— (see Cork, J. M.)—866
——— **and J. M. Cork.** Multiple ejection of neutrons from excited nuclei—922(A)
Tilton, Leroy W. and John K. Taylor. Refractive index and dispersion of distilled water for visible radiation, at temperatures 0 to 60°C—918(A)
Tomboulian, D. H. and R. F. Bacher. Interval rule in hyperfine structure—678(A)
Tonks, Lewi. Vaporization of mercury from anchored cathode spot—936(A)
Tool, A. Q. Heat effects of tridymite inversions—945(A)
Torrey, Henry C. Analysis of neutron absorption in boron —266(L)
Trichel, G. W. Mechanism of corona discharge—214(A)
Trimble, Frank H. and Newell S. Gingrich. Effect of temperature on the atomic distribution in liquid sodium —203(A), 278
Turnbull, John C. and H. E. Farnsworth. Inelastic scattering of electrons from a silver single crystal—944(A)
Tuve, M. A. (see Hafstad, L. R.)—239
Tyler, A. W. (see Lawson, J. L.)—605(L)
Tyrrell, W. A., Jr. and Henry Margenau. Variational theory of the alpha-particle—939(A)

Ufford, C. W. Term values in carbon—568
Underwood, Newton. Displacement polarimeter—853(A)
Urey, H. C. (see Thode, H. G.)—920(A)

Valasek, Joseph. X-ray spectroscopic data in regard to the electronic energy bands in potassium and sodium chlorides—274
Vallarta, M. S. Cosmic-rays and the earth's magnetic field —109(T)
Valley, George (see Barnes, S. W.)—946(A)
Van Dyke, K. S. Some unusual demonstrations with piezoelectric resonators—686(A)
——— Vibration modes of low decrement for a quartz ring—945(A)
Van Vleck, J. H. On the scattering of neutrons by paramagnetic media—680(A)
Varney, Robert N. Sensitivity of the balanced space charge positive ion detector—732
von Halban, H. (see Frisch, O. R.)—719

Wadlund, A. P. R. Radial lines in Laue spot photographs—843(L)
Wahlin, H. B. (see Hole, W. L.)—768(L)
Walerstein, I. (see Howe, J. D.)—334(A)
Walker, J. W., J. W. Straley and Alpheus W. Smith. Band spectra of PbSe, SnSe and PbTe in absorption—140
Wannier, G. Improved Wigner-Seitz method for the calculation of electronic energy bands—671(L)
Ward, N. E. (see Nielsen, J. Rud)—331(A)
Warren, B. E. (see Jacob, C. W.)—108(A)
Waterman, Alan T. (see Bartlett, Russell S.)—109(T)
Watson, R. E. (see Kruger, P. G.)—1014(L)
Watson, William W. Spectra of the monoxides of cerium and praseodymium—639
——— Spectra of rare earth oxides—678(A)
Way, Katharine. Nuclear quadrupole and magnetic moments—685(A)
Weber, Alfred H. Some photoelectric properties of evaporated bismuth films—895
Weber, Ernst. On the nature of the Hall effect—935(A)
Weisskopf, V. Excitation of nuclei by bombardment with charged particles—1018(L)
——— Note on the Hartree approximation method for calculating nuclear energies—680(A)
Weller, R. (see Shortley, G. H.)—207(A)

Wenner, Frank and Irvin L. Cooter. Precise control and measurements of the speed of a rotating shaft having a mechanical load of 200 watts—927(A)
Wheeler, J. A. (see Teller, E.)—684(A), 778
——— **and C. V. Cannon.** Rotational transition in solid methane—684(A)
White, A. B. Characteristics of the copper arc in air—935(A)
White, J. W. and E. K. Plyler. Infra-red absorption of mixtures of phenol and ethyl alcohol—932(A)
White, M. G. (see Ridenour, Louis N.)—770(L)
——— (see Sherr, R.)—946(A)
Wick, G. C. (see Fermi, E.)—493(L)
Wigner, E. (see Breit, G.)—998
Wiig, E. O. (see DuBridge, L. A.)—326(A)
Wilhelm, K. (see Carroll, H.)—947(A)
Williams, Dudley. Optical properties of fluorite in the 6μ region—930(A)
——— (see Taschek, Richard)—852(A)
——— **and Loraine Decherd.** Infra-red spectra of nitrate solutions—852(A)
——— **and Richard Taschek.** Device for controlling the temperature of absorption cells—851(A)
Williams, D. T. and L. P. Granath. Hyperfine structure of boron, yttrium, rhodium and palladium—685(A)
Williams, E. J. Scattering of cosmic-ray particles—433(L)
Williams, John H. (see Allen, James S.)—325(A), 928(A)
——— (see Haxby, R. O.)—921(A)
——— (see Tate, John T.)—928(A)
Wilson, Robert G. Vectorial photoelectric effect in barrier-layer cells—264(L)
Wilson, Robert R. Focusing actions in the cyclotron—213(A)
——— Magnetic and electrostatic focusing in the cyclotron—408
Wilson, Volney C. Cosmic-ray intensities at great depths—204(A), 337
——— On the nature of the penetrating cosmic rays—908(L)
Wilson, W. S. (see Margenau, Henry)—941(A)
Winans, J. G. and Francis J. Davis. Mercury-thallium molecular bands—930(A)
Winch, Ralph P. (see Farnsworth, H. E.)—935(A)
Witcher, C. (see Beyer, H. G.)—947(A)
Witmer, Enos E. Tabulation and study of the energy levels of the asymmetrical rotator—331(A)
Wollan, E. O. Simplified method of obtaining the integrated intensity from x-ray powder photographs—208(A)
——— X-ray investigation of the asymmetry of the atoms and of the atomic vibrations in a silver-cadmium alloy—203(A)
——— (see Ribner, H. S.)—332(A), 972
Wood, R. W. and G. H. Dieke. Spectrum of the arc in hydrogen—146
Wooldridge, Dean E. (see Jenkins, F. A.)—137
Worthing, A. G. (see Benford, Frank)—948(A)
Wright, R. (see Hole, W. L.)—768(L)

Yetter, E. W. Another circuit for use with Geiger-Müller counters—612(L)
Young, L. A. Rate of recrystallization in polycrystalline solids—686(A)

Zacharias, J. R. (see Millman, S.)—331(A), 384
——— (see Rabi, I. I.)—318(L), 495(L)
Zachariasen, W. H. Comments on the article by A. P. R. Wadlund: Radial lines in Laue spot photographs—844(L)
——— Crystal structure of potassium acid dihydronium pentaborate, $KH_2(H_3O)_2B_5O_{10}$—202(A)
——— Crystal structure of sodium formate, $NaHCO_2$—917(A)
Zahn, C. T. Heavy beta-particles?—431(L)
——— **and A. H. Spees.** Critical analysis of the classical experiments on the relativistic variation of electron mass—511
——— **and A. H. Spees.** Improved method for the determination of the specific charge of beta-particles—357
——— **and A. H. Spees.** Specific charge of disintegration electrons from radium E—365
Zartman, I. F. and J. C. Hubbard. Fixed path acoustic interferometer for the study of matter—944(A)
Zener, Clarence. Internal friction in solids. II. General theory of thermoelastic internal friction—90
——— Internal friction in solids. IV. Relation between cold work and internal friction—582
——— Internal friction in solids. V. General theory of macroscopic eddy currents—1010
——— Relationship between internal friction and cold work in metals—686(A)
———, **W. Otis and R. Nuckolls.** Internal friction in solids. III. Experimental demonstration of thermoelastic internal friction—100
Zinn, W. H., S. Seely and V. W. Cohen. Scattering cross sections of various elements for D-D neutrons—921(A)
Zisman, W. A. (see Goranson, Roy W.)—668(L)
Zwicky, F. Change and exchange of rest mass of elementary particles during collisions—611(L)
——— Intrinsic variability of the so-called fundamental physical constants—315(L)
——— Some results of the search for super-novae—1019(L)

Analytic Subject Index to Volume 53

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption
Of high energy electrons, A. J. Ruhlig, H. R. Crane—618; 683(A)
Of positive electrons in Al, B. R. Curtis—986
Acoustics
Fixed path acoustic interferometer, I. F. Zartman, J. C. Hubbard—944(A)
Persistence of molecular vibration in collisions, R. J. Dwyer—324(A)
Reflection of sound, K. F. Herzfeld—899
Ultrasonic study of CO_2 near critical point, J. C. Hubbard, C. M. Herget—945(A)
Velocity of sound in air, R. C. Colwell, A. W. Friend, D. A. McGraw—686(A)
Vibrations of a circular plate, A. W. Friend, J. K. Stewart, R. C. Colwell—945(A)
Of internal-combustion engine, H. Schecter, P. P. Morse—107(A); C. S. Draper—108(A)
Aerodynamics (see **Hydrodynamics**)
Alloys (see **Crystalline state**)
Arcs (see **Discharge of electricity in gases**)
Astrophysics
Electromagnetic and gravitational radiation, L. Infeld—938(A)
Gravitational constant and Hubble's factor, A. Haas—207(A)
Nebular red shift, S. Sambursky, M. Schiffer—256
Neutron core of stars, G. Gamow, E. Teller—929(A)
Nuclear energy sources and stellar evolution, G. Gamow—595; 608(L); 908(L)
Photographs of solar corona, B. O'Brien, D. H. Menzel, H. S. Stewart, Jr., C. J. Aronson—950(A)
Photon emission of sun, A. E. Haas—681(A)
Red shift, I. M. Freeman—207(A)
Solar spectrum photography, H. S. Stewart, Jr., B. O'Brien—949(A)
Super-novae; characteristics of, F. Zwicky—1019(L)
Atomic and molecular beams
Free fall of molecules, I. Estermann, O. C. Simpson, O. Stern—947(A)
Atomic and molecular radii (see **Scattering of electrons**)
Atomic mass (see **Isotopes**)

Biophysics
Barometer, for small volumes, W. Hurst—850(A)
Cold sensation by radiation, J. D. Hardy, T. W. Oppel—920(A)
Detection of cocain-HCl in cerebrospinal fluid, L. A. Strait, R. B. Aird—213(A)
Effects of low voltage electrons, C. E. Buchwald, C. P. Haskins—920(A)
Electronic absorption photometer, J. B. H. Kuper—920(A)
Impedance of *Nitella* during excitation, K. S. Cole, H. J. Curtis—687(A)
Impedance of single arbacia eggs, K. S. Cole, H. J. Curtis—333(A)
Measurement of super-voltage radiation, L. S. Taylor, G. Singer—916(A)
Radiography of thin microtome sections, E. Dershem—202(A)
Short exposure, high intensity x-rays, K. H. Kingdon, H. E. Tanis, Jr.—128
X-ray generator for biological experiments, G. Failla—916(A)
Brownian movement
Photographic measurements, C. Hire—205(A); 325(A)

Collision diameter (see **Atomic and molecular radii**)
Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)
Constants, physical, standards
Discrepancy among experimental measurements, R. A. Beth—681(A)
Variability of constants, F. Zwicky—315(L)
Contact potentials
Of solid films on metals, W. D. Harkins, R. W. Mattoon—911(L)
Cosmic radiation
Absorption of penetrating component, W. M. Nielsen, K. Z. Morgan—915(A); V. C. Wilson—908(L)
Analysis including hard component, L. W. Nordheim—329(A); 694
Artificial radioactivity, W. E. Ramsey, C. G. Montgomery, D. D. Montgomery—196(L)
Bursts in equatorial zone, S. A. Korff—914(A)
Change of mass, Ig. Tamm—1016(L)
Cosmic-ray telescope, W. H. Pickering—335(A)
East-west effect in India, H. V. Neher—328(A)
Effect of earth's magnetism, T. H. Johnson—329(A)
Electrical conductivity in stratosphere, O. H. Gish, K. L. Sherman—434(L)
Energy and intensity of primary, T. H. Johnson—499; 682(A)
Energy distribution, I. S. Bowen, R. A. Millikan, H. V. Neher—328(A); 915(A)
Energy flux of corpuscular radiation, C. G. Montgomery, D. D. Montgomery—193; 329(A)
Galactic rotation, I. A. Getting—914(A)
Identification of primary rays, E. J. Schremp—915(A)
Influence of earth's field, W. Kolhörster—768(L)
Influence of solar magnetic field, P. S. Epstein—862
In stratosphere, L. F. Curtiss, A. V. Astin, L. L. Stockmann, B. W. Brown, S. A. Korff—23; 330(A)
Intensity and magnetic storms, S. E. Forbush—914(A)
Intensities at great depths, V. C. Wilson—204(A); 337
Ionization near a lead block, E. G. Schneider—615
Large bursts, function of Pb shielding, W. P. Jesse, R. L. Doan—203(A); 691

Cosmic radiation (continued)
Large bursts, theory of, C. G. Montgomery, D. D. Montgomery—682(A); 955
Latitude effect, high altitudes, S. A. Korff, L. F. Curtiss, A. V. Astin—14
Latitude effect, showers, H. V. Neher, W. H. Pickering—111; 329(A)
Latitude effect of soft rays, B. Gross—607(L)
Nature of penetrating component, R. M. Langer—494(L)
Nature of radiation, I. S. Bowen, R. A. Millikan, H. V. Neher—214(A); 217; 855
Nuclear disintegrations, R. B. Brode, M. A. Starr—3; 214(A)
Penetrating particles, S. H. Neddermeyer—102(L)
Range of particles, A. Bramley—915(A)
Scattering of particles, E. J. Williams—433(L)
Showers at great depths, W. H. Pickering—215(A)
Showers in lead, M. A. Starr—6
Sidereal diurnal variation, S. E. Forbush—682(A)
Specific ionization and mass of particles, D. R. Corson, R. B. Brode—215(A); 773
Stopping power of heavy elements, J. H. Bartlett, Jr.—915(A)
Theory of showers, D. Iwanenko, A. Sokolow—910(L)
Transition effects in atmosphere, H. Snyder—960

Cosmic rays
Penetrating component, J. Barnóthy, M. Forró—848(L)

Crystal structure
Form of acetylsalicylic acid in certain sugars, S. S. Sidhu—918(A)
Of $KH_2(H_3O)_2B_5O_{10}$, W. H. Zachariasen—202(A)
Of $N(CH_3)_4I_3$, R. C. L. Mooney—851(A)
Of $NaHCO_2$, W. H. Zachariasen—917(A)
Space group of pyrrhotite, V. Hicks, S. S. Sidhu—207(A)
Of $N(CH_3)_4I\,Cl_2$, R. C. L. Mooney—918(A)
Of uranium, C. W. Jacob, B. E. Warren—108(A)

Crystalline state
Alkali halide-thallium phosphors, F. Seitz—685(A)
Anisotropy of crystals, E. Kondorsky—1022(L)
Anisotropy of vibrations in a Zn-Cu alloy, R. A. Howard—324(A); 966
Asymmetry of atoms in Ag-Cd alloy, E. O. Wollan—203(A)
Barium-copper-stearate films, properties of, C. Holley—534; I. Fankuchen—909(L); J. J. Bikerman, J. H. Schulman—909(L)
Calculation of electronic energy bands, G. Wannier—671(L)
Characteristic temperature of MgO, H. S. Ribner, E. O. Wollan—332(A); 972
Characteristic temperature of Zn crystals, G. E. M. Jauncey—203(A)
Cold work and internal friction, C. Zener—582
Critical cooling rate of iron-carbon alloys, T. G. Digges—925(A)
Crystalline transitions and dielectric constant, H. v. R. Jaffe—917(A)
Deformation textures, C. S. Barrett—925(A)
Electrical breakdown in alkali halides, R. J. Seeger, E. Teller—923(A)
Electronic energy bands in W, M. F. Manning, M. I. Chodorow—937(A)
Electronic energy bands in KCl and NaCl, J. Valasek—274
Grain boundaries in steel, R. Morgan, S. Steckler, E. B. Schwartz—918(A)
Heat effects of tridymite inversions, A. Q. Tool—945(A)
Internal friction in solids, C. Zener—90; 100; 582; 686(A); 1010
Ions in surface structure, R. P. Johnson—766(L)
Lattice vibrations in polar crystals, R. H. Lyddane, K. F. Herzfeld—948(A)
Order *versus* disorder, lattice enlargement, F. C. Blake—333(A)
Oscillation in rhombic sulphur, S. Bhagavantam—1015(L)
Radial lines in Laue spots, A. P. R. Wadlund—843(L); W. H. Zachariasen, 844(L); C. S. Barrett—1021(L)
Rate of recrystallization, L. A. Young—686(A)
Recalescence in uranium, W. L. Hole, R. Wright, H. B. Wahlin—768(L)
Rotational transition in solid methane, J. A. Wheeler, C. V. Cannon—684(A)
Segregation of Po in Bi crystals, A. B. Focke—324(A)
Solubility at grain boundaries of solid solutions, G. R. Dean—202(A)
Supercooling and freezing of water, N. E. Dorsey—925(A)
Superstructure and magnetism of pyrrhotite, S. S. Sidhu, V. Hicks—207(A)
Transition energies of polymorphous molecular crystals, M. Bruch-Willstätter, H. Sponer—324(A)
Transitions in alkali-halides, R. B. Jacobs—930(A)
Vitreous state in gelatin gels, B. J. Luyet—323(A)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Crystalline transitions and dielectric constant, H. v. R. Jaffe—917(A)
Electric moment of methyl and ethyl alcohol, J. D. Stranathan—333(A)
Energy losses in air capacitors, A. V. Astin—927(A)
Permanent electrets, W. M. Good—323(A)
Permanent volume polarization, R. W. Goranson, W. A. Zisman—668(L)
Polar moment of cellosolves, W. H. Byers, A. A. Bless—852(A)
Susceptibility of Rochelle salt, D. Bancroft—587

Diffraction of electrons (see **Electron diffraction**)

Diffusion
In a centrifugal field of force, W. J. Archibald—746; 923(A)
Of hydrogen through Ni, W. R. Ham, C. B. Post—935(A)

Discharge of electricity in gases
Cathode material and Townsend coefficient, W. E. Bowls—210(A); 293

Clean-up effect in low pressure Hg vapor discharges, C. Kenty—936(A)
Cu arc in air, A. B. White—935(A)
Corona discharge, G. W. Trichel—214(A)
Discharges under nearly complete ionization, F. L. Mohler—683(A); 923(A)
Force on cathode of Cu arc, R. M. Robertson—578
Glow-arc transition in Hg vapor, F. A. Maxfield—204(A)
Impulse breakdown in long tubes, J. R. Dietrich, L. B. Snoddy, J. W. Beams—923(A)
Mechanism of positive column in Hg, E. Q. Adams, B. T. Barnes—556
New mechanism in excited neon, E. W. Pike—920(A)
Oxidation in arc cathode, C. G. Suits, J. P. Hocker—670(L); J. D. Cobine—911(L)
Positive-point to plane discharge, A. F. Kip—210(A)
Recombination in pure O_2, M. E. Gardner—75
Sparking potential, F. Ehrenkranz—210(A)
Sparking voltage of sphere gap, effect of humidity, A. B. Lewis—850(A)
States in high pressure discharge, C. G. Suits—609(L)
Vaporization of Hg from anchored cathode spot, L. Tonks—936(A)

Discharge of electricity in high vacuum (see **Thermionic emission; High voltage tubes and machines**)

Disintegration of nucleus (see also **Radioactivity**)
Of Al by He^4, H. L. Schultz—929(A)
Of C; γ-radiation, M. E. Rose—844(L)
Angular distribution of disintegration products, R. D. Myers—325(A)
Angular distribution of H^1 from H^2+H^2, R. O. Haxby, J. S. Allen, J. H. Williams—921(A)
Of Be by He^4, H. L. Schultz—681(A)
Of B^{10} and Li^6 by neutrons, M. S. Livingston, J. G. Hoffman—227
$B^{11}+H^1$ reactions, J. R. Oppenheimer, R. Serber—636
Cloud chamber studies, L. W. Alvarez, W. M. Brobeck—213(A)
Collision relations, A. E. Ruark, C. Jones—853(A)
Of H^2 by He^4, H. L. Schultz—622
Deuteron reactions at high energy, L. W. Alvarez—326(A)
Deviations from evaporation model of reactions, H. A. Bethe—675(A)
Efficiency of $Be+H^1$, L. S. Skaggs, G. T. Hatch, S. K. Allison—946(A)
Energy of neutrons from $C^{12}+H^2$, T. W. Bonner—496(L)
Energy-range relations, F. T. Rogers, Jr., M. M. Rogers—713
Energy spectra of particles, S. K. Allison, N. M. Smith, Jr.—946(A)
Formation of Be^7 and K electron capture, R. B. Roberts, N. P. Heydenburg—929(A)
Formation of excited He^3, T. W. Bonner—711
Gamma-radiation from $B+H^1$, W. A. Fowler, E. R. Gaerttner, C. C. Lauritsen—212(A); 628
Loss of neutron and alpha-particle in Fe, relative probability, J. M. Cork, B. R. Curtis—946(A)
Neutron-deuteron impacts, W. E. Lamb, Jr., R. Serber—215(A)
Neutron interaction with nuclei and neutron energy, P. N. Powers, H. H. Goldsmith, H. G. Beyer, J. R. Dunning—947(A)
Neutrons from A, Cl, Al and under He^4 bombardment, E. Pollard, H. L. Schultz, G. Brubaker—351
Neutrons from B, H. Staub, W. E. Stephens—212(A)
Neutrons from $Li+H^2$, W. E. Stephens—212(A); 223; M. L. Pool—707
Of N by neutrons, F. N. D. Kurie, M. Kamen—212(A)
Nuclear excitation functions, M. S. Plesset, D. H. Ewing—943(A)
Oppenheimer-Phillips process, H. A. Bethe—39; 205(A)
Photodisintegration of deuteron, J. R. Richardson, L. Emo—234
Production of N^{13}, R. B. Roberts, N. P. Heydenburg—374
Production of pairs, W. E. Lamb, Jr.—211(A)
Scale for predicting nuclear transformations, V. Karapetoff—675(A)
Of Sc by He^4, E. Pollard—679(A)
Of Sc by neutrons, J. M. Cork, R. L. Thornton—866
Thermonuclear reactions, G. Gamow, E. Teller—608(L)
Of Ti by He^4, W. L. Davidson, Jr., E. Pollard—929(A)
Width of resonance in $B+H^1$, J. S. Allen, R. O. Haxby, J. H. Williams—325(A)

Dispersion
Verification of the quantum mechanical theory, W. A. Bruce, G. E. M. Jauncey—332(A); W. A. Bruce—802

Dissociation
Of CCl_2F_2 and in CCl_4, R. F. Baker, J. T. Tate—683(A)
Of ethane by electron impact, J. A. Hipple, Jr.—530
Of normal and isobutane, R. F. Baker, J. T. Tate—944(A)

Elasticity
Determination of Young's modulus, R. R. Jacobs, D. Bancroft—687(A)
Filtration of compressional waves in stratified medium, R. B. Lindsay—944(A)
Fixed path acoustic interferometer, I. F. Zartman, J. C. Hubbard—944(A)
Internal friction in solids, C. Zener—90; 100; 582; 686(A); 1010
Thermoelastics and structure of rubber, F. E. Dart, E. Guth—327(A)
Vibration modes of low decrement, K. S. Van Dyke—945(A)
Vibration of rotating propeller blades, W. Ramberg, S. Levy—945(A)

Electrical conductivity and resistance
Deviations from Ohm's law, E. Guth, J. Mayerhöfer—205(A)
Drift of ions on filaments, R. P. Johnson—766(L)
Effect of tension; Sn crystals, M. Allen—108(A)
Electrical breakdown in alkali halides, R. J. Seeger, E. Teller—923(A)
At frequencies of the order 300 mC/second, R. A. Chipman—672(L)

Electrical conductivity and resistance (continued)
Of metallic films condensed at low temperatures, H. R. Mitchell—250
Electric moment (see **Dielectrics and dielectric properties**)
Electrolytic cells
Anodic properties of Al cell, W. B. Pietenpol, T. E. Devaney—325(A)
Electrode capacitance of conductivity cells, S. F. Acree—923(A)
Solubility of glass, behavior of glass electrodes, D. Hubbard—935(A)
Electromagnetic theory
Electromagnetic and gravitational radiation, L. Infeld—836
Light signals around a closed path, H. E. Ives—939(A)
Mutual inductance between two coaxial helical wires, C. Snow—934(A)
Oscillations of a prolate spheroid, L. Page, N. I. Adams, Jr.—819
Electron diffraction (see also **Electrons, scattering of**)
Molecules in unimolecular and multimolecular layers, L. H. Germer, K. H. Storks—322(A)
Electrons (see also **Positive electron and *e/m***)
Energy loss in Pb, A. J. Ruhlig, H. R. Crane—618; 683(A)
Production of heavy electrons, L. W. Nordheim, E. Teller—937(A)
Electrons, secondary
From Na films on Ta, P. L. Copeland—328(A)
From thorium-coated tungsten, E. A. Coomes—936(A)
Electro-optical effects (see also **Photoelectric effect and properties**)
Optical activity of $NiSO_4$, E. B. Nelson—849(A)
E/m
Analysis of classical experiments, C. T. Zahn, A. H. Spees—511
Of β-rays from RaE, C. T. Zahn, A. H. Spees—365
Change of rest mass during collisions, F. Zwicky—611(L); Ig. Tamm—1016(L)
Determination for β-particles, C. T. Zahn, A. H. Spees—357
Energy losses of Pauli-Weisskopf particles, J. F. Carlson—330(A)
Heavy beta-rays, A. H. Compton—431(L); H. R. Crane—317(L); G. E. M. Jauncey—197(L); 265(L); 319(L); 669(L); A. Ruark, C. C. Jones—264(L); 454; 496(L); 679(A); C. T. Zahn—431(L); F. L. Arnot—1018(L).
Method for precision determination, A. E. Shaw—208(A)
Nature of heavy electron, I. M. Freeman—606(L)
Particle of intermediate mass, A. J. Ruhlig, H. R. Crane—266(L)
From refraction of x-rays, J. A. Bearden—917(A)
Energy states of atoms (see also **Spectra, atomic**)
Self-consistent field for Fe, M. F. Manning, L. Goldberg—662
Energy states of molecules (see also **Molecular structure and constants; Spectra, molecular**)
Energy levels of the asymmetrical rotator, E. E. Witmer—331(A)
Energy states of nucleus (see also **Nucleus**)
Of alpha-particles, excited states, H. Margenau—198(L)
Barytron theory of nuclear forces, H. A. Bethe—938(A)
Binding energy of H^2, H. A. Bethe—313
Binding energy of O^{16}, G. Horvay, E. Feenberg—938(A)
Compound nucleus, H. A. Bethe, E. J. Konopinski—688(A)
Dynaton theory of nuclear forces, R. Serber—211(A)
Energy of heavy nuclei, A. J. Dempster—869
Excitation of nuclei, V. Weisskopf—1018(L)
Excited He^3 in H^2+H^2, T. W. Bonner—928(A)
Fine structure of ground level of Li^7, G. Breit, J. R. Stehn—459; 684(A)
Ground state of deuteron, R. G. Sachs, M. Goeppert-Mayer—991
Hartree approximation, V. F. Weisskopf—680(A)
Heavy particle interactions, D. R. Inglis—686(A)
Of H^3 and He^4, S. S. Share—875
Of Li^6, K. G. Carroll, H. Margenau—921(A)
Multipole radiation probabilities, M. Phillips—681(A)
Rotation of atomic nuclei, E. Teller, J. A. Wheeler—684(A); 778
Saturation of nuclear forces, C. Critchfield, E. Teller—684(A); 812
Saturation requirements for forces, G. Breit, E. Wigner—998
Spacing of nuclear levels, J. Bardeen, E. Feenberg—938(A)
Superposition of nuclear forces, H. Primakoff—938(A)
Variational theory of alpha-particle, W. A. Tyrrell, Jr., H. Margenau—939(A)
Errata
Ferromagnetic anisotropy of nickel-iron crystals at various temperatures, J. D. Kleis—848(L)

Geophysics
Age of earth from isotope ratios, A. Bramley—323(A)
Determination of geologic ages, C. Goodman, R. D. Evans—916(A)
Substandards of feeble radioactivity, R. D. Evans, C. Goodman—916(A)
Gravitation
Electromagnetic and gravitational radiation, L. Infeld—836

Hall effect
Nature of the effect, E. Weber—935(A)
Heat of combustion
Of tetramethylmethane, J. W. Knowlton, F. D. Rossini—946(A)
High voltage tubes and machines
Accelerator using a quarter wave-length, P. L. Hartman, L. P. Smith—677(A)
Compact 750 kv Van de Graaff generator, J. B. Fisk, I. A. Getting—916(A)
Cyclotron magnet-current stabilizer, T. Perry—943(A)
Energy variations in a cyclotron ion beam, G. K. Green, P. G. Kruger—927(A)
Focusing and energy of ions in cyclotron, M. E. Rose, H. A. Bethe—206(A), M. E. Rose—392; 675(A); 715; R. R. Wilson—213(A); 408

Fringing flux in large magnets, J. D. Howe, I. Walerstein—334(A)
Generator for production of neutrons, T. R. Folsom—687(A)
High air pressure electrostatic generator, D. B. Parkinson, R. G. Herb, E. J. Bernet, J. L. McKibben—642
High frequency systems for cyclotron, J. R. Dunning, H. L. Anderson—334(A)
Ion optics of an accelerating tube, J. S. Allen, J. H. Williams—925(A)
Minnesota pressure electrostatic generator, J. T. Tate, L. H. Rumbaugh, J. H. Williams—928(A)
X-ray generator for biological experiments, G. Failla—916(A)

Hydrodynamics
Aerodynamics of golf club, S. J. Crooker—927(A)
Theory of isotropic turbulence, H. P. Robertson—939(A)

Hyperfine structure (see also **Nuclear moments and spin**)
Of B, Y, Rh and Pd, D. T. Williams, L. P. Granath—685(A)
Interval rule, D. H. Tomboulian, R. F. Bacher—678(A)
Of MnI, R. A. Fisher, E. R. Peck—685(A)
Of spectral lines from atomic beams, K. W. Meissner—677(A)

Instruments (see **Methods and instruments**)
Ionization by particles (see **Ionization potentials**)
Ionization potentials
Of CCl_2F_2 and in CCl_4, R. F. Baker, J. T. Tate—683(A)
And dissociation of ethane, J. A. Hipple, Jr.—530
Of Hg, W. B. Nottingham—328(A)
Of normal and isobutane, R. F. Baker, J. T. Tate—944(A)
Use of isotopes in study of ionization processes, J. M. Delfosse, J. A. Hipple, Jr.—683(A)

Ionosphere
Ionization in *E* region, J. A. Pierce—942(A)
Ionization and recombination, N. E. Bradbury—210(A)
Lorentz polarization correction, H. G. Booker, L. V. Berkner—924(A)
Photoelectric ionization, E. O. Hulburt—344
Variation in F_2 ionization, E. O. Hulburt—670(L)

Ions, mobility
Liquids electrified by bubbling, S. Chapman—211(A)

Isotopes
Abundances of Pb isotopes, A. O. Nier—680(A)
Of Ca, Ti, S and A, A. O. Nier—282
Of C from CN spectrum, F. A. Jenkins, D. E. Wooldridge—137
Concentration of N^{15}, H. G. Thode, J. E. Gorham, H. C. Urey—920(A)
Of Gd, Dy, Er and Yb, A. J. Dempster—727
Of heavy elements, A. J. Dempster—64
Of uranium, A. O. Nier—922(A)
Range of occurrence, H. Brown—846(L)
Stable isotopes and atomic numbers, G. E. Gibson, H. Brown—846(L)
Weight of He by direct comparison with O, K. T. Bainbridge—922(A)
Of Xe, Kr, As, Cs, I and Be, A. O. Nier—109(A)

Kinetic theory of gases
Air-lubricated journal bearings, M. D. Hersey—926(A)
Motion of ions in gases, F. B. Pidduck—197(L)
Persistence of molecular vibration in collisions, R. J. Dwyer—324(A)

Liquids (see also **Hydrodynamics**)
Atomic distribution in liquid K, C. D. Thomas, N. S. Gingrich—943(A)
Atomic distribution in liquid Na, F. H. Trimble, N. S. Gingrich—203(A); 278
Atomic distribution in liquid white P, N. S. Gingrich, C. D. Thomas—943(A)
Film lubrication of the journal bearings, S. M. Skinner—927(A)
Supercooling and freezing of water, N. E. Dorsey—925(A)
Variation of ionic volumes, G. W. Stewart—323(A)
Vitreous state in gelatin gels, B. J. Luyet—323(A)

Luminescence
Of pure crystals, D. H. Kabakjian—919(A)
Spectra of cathodoluminescent materials, H. W. Leverenz—919(A)

Magnetic fields
Demagnetization coefficient of oblate spheroids, L. P. Tarasov—105(L)
Production of uniform fields, R. J. Stephenson, M. Ference, A. E. Shaw—208(A)

Magnetic properties
Anisotropy in ferromagnetic crystals, E. Kondorsky—319(L)
Anisotropy of crystals, E. Kondorsky—1022(L)
Diamagnetism of small regions, J. C. Slater—208(A)
Ferromagnetic impurities, detection of, F. W. Constant, J. M. Formwalt—432(L); 852(A)
Hysteresis testing, C. T. Razor—851(A)
Interaction in Heusler alloy, L. W. McKeehan—199(L)
Interaction in pyrrhotite and in magnetite, L. W. McKeehan—307
Interaction in strained crystals, L. W. McKeehan—301
Magnetic viscosity in iron, C. W. Heaps—334(A)
Magnetostriction of polycrystalline material, W. F. Brown, Jr.—482
Photomicrographs of magnetic colloid patterns, W. C. Elmore—933(A)
Of pyrrhotite, S. S. Sidhu, V. Hicks—207(A)
Structure of Co, W. C. Elmore—757
Surface magnetization of Co, W. C. Elmore—108(A)
Susceptibility of lead oxide, M. Petersen—933(A)

Magneto-optical effects
Magnetic double refraction; acetone, esters, J. B. Hawkes—84
Verdet constants of CS_2, glycerine, isopropyl and amyl alcohols, G. C. Comstock—849(A)

Mass defects (see **Isotopes**)
Mass spectrography
Ion source (Li), Hoff Lu—845(L)

Mechanics, quantum—general
Lower bounds in quantum mechanics, A. F. Stevenson—199(L)
Neutral particle, Theory of, W. H. Furry—679(A)
Quadrupole-quadrupole interatomic forces, J. K. Knipp—734
Theory of neutral particle, W. H. Furry—679(A)
Mechanics, quantum—of solid bodies
Calculation of electronic energy bands, G. Wannier—671(L)
Compressibility of alkali metals, J. Bardeen—683(A)
Meteorology
Atmospheric absorption by water, W. M. Elsasser—768(L)
Density and temperature of the atmosphere to 60 km, E. O. Hulburt—948(A)
Determination of atmospheric ozone, B. O'Brien, H. S. Stewart, Jr.—949(A)
Factors affecting pyrheliometers, L. F. Miller—948(A)
Methods and instruments
Accelerator using a quarter wave-length transmission line, P. L. Hartman, L. P. Smith—677(A)
Atomic electron velocities; measuring of, A. L. Hughes, M. M. Mann, Jr.—50
Barometer, for small volumes, W. Hurst—850(A)
Capacity controlled magnetic suspension, C. S. Smith—933(A)
Capture cross section, A. H. Spees, W. F. Colby, S. Goudsmit—326(A)
Centrifuge, tubular, J. W. Beams—850(A)
Circuit for G-M counters, E. W. Yetter—612(L)
Cloud chamber technique, F. N. D. Kurie—215(A)
Coaxial tube counter, S. C. Brown, R. D. Evans—914(A)
Coincidences in counter circuits, C. Eckart, F. R. Shonka—752
Collimation of slow neutrons, J. G. Hoffman, M. S. Livingston—676(A)
Collision relations, A. E. Ruark, C. Jones—853(A)
Compact 750 kv Van de Graaff generator, J. B. Fisk, I. A. Getting—916(A)
Counting losses of single scale recorders, H. Lifschutz, O. S. Duffendack—941(A)
Cyclotron magnet-current stabilizer, T. Perry—943(A)
Deposition of Ra Cu on rotating cathode, J. Steigman—771(L)
Detection of cocain-HCl in cerebrospinal fluid, L. A. Strait, R. B. Aird—213(A)
Determination of e/m, A. E. Shaw—208(A)
Determination of geologic ages, C. Goodman, R. D. Evans—916(A)
Determination of specific charge of beta-particles, C. T. Zahn, A. H. Spees—357
Displacement polarimeter, N. Underwood—853(A)
Effective mutual inductance, alternating current method, H. L. Curtis, A. V. Astin, C. M. Sparks—934(A)
Electron velocity analyzer, M. E. Bell, E. A. Coomes, W. B. Nottingham—328(A)
Electronic stabilizer performance, F. V. Hunt, R. W. Hickman—913(A)
Energy variations in a cyclotron ion beam, G. K. Green, P. G. Kruger—927(A)
Errors in count from G-M tube, E. Rodgers—850(A)
Factors affecting pyrheliometers, L. F. Miller—948(A)
Ferromagnetic impurities, detection of, F. W. Constant, J. M. Formwalt—432(L); 933(A)
Filament surfaces, effects of a.c. and d.c., R. P. Johnson—936(A)
Fixed path acoustic interferometer, I. F. Zartman, J. C. Hubbard—944(A)
Focusing and energy of ions in cyclotron, M. E. Rose, H. A. Bethe—206(A); M. E. Rose—392; 675(A); 715; R. R. Wilson—213(A); 408
Focusing x-rays by rocksalt crystal, R. M. Bozorth, F. E. Haworth—538; I. Fankuchen—910(L)
Fringing flux in large magnets, J. D. Howe, I. Walerstein—334(A)
Gas free surfaces, H. E. Farnsworth, R. P. Winch—935(A)
Geiger counter, T. G. How, K. Lark-Horovitz—334(A)
Geiger counter circuit, I. A. Getting—103(L); H. V. Neher, W. H. Pickering—316(L); T. H. Johnson—914(A)
Geiger counters, use of, H. V. Neher, W. H. Pickering—214(A)
G-M tube design, J. L. Lawson, A. W. Tyler—605(L)
Generator for production of neutrons, T. R. Folsom—687(A)
Grating, mounting for, H. Sponer, W. Hurst—851(A)
High frequency systems for cyclotron, J. R. Dunning, H. L. Anderson—334(A)
High pressure capillary lamps, C. Bol—214(A)
High speed electrostatic motor, C. S. Smith—688(A)
Hollow cathode discharge source for Zeeman effect, R. A. Fisher, A. S. Fry, J. R. Platt—934(A)
Infra-red wave-lengths, for calibration, P. E. Shearin, E. K. Plyler—851(A)
Integrated intensity from x-ray powder photographs, E. O. Wollan—208(A)
Intensifying screens in x-ray diffraction work, C. Gamertsfelder, N. S. Gingrich—332(A)
Intensities of spectral lines, D. Foster, H. W. Highriter—673(L)
Ion source (Li), Hoff Lu—845(L)
Ion sources using focused beams, L. P. Smith, G. W. Scott, Jr.—677(A)
Ionization current meter, G. Failla—687(A)
Light source for cloud chamber, W. M. Powell—327(A)
Lissajous figures, F. H. Mitchell—850(A)
Magnetic fields and susceptibilities in solenoids, A. R. Kaufman—933(A)
Magnetic laboratory at M.I.T., F. Bitter—933(A)
Mass spectrometer, new, W. Bleakney, J. A. Hipple, Jr.—521
Measurement of the speed of a rotating shaft, F. Wenner, I. L. Cooter—927(A)
Measurement of super-voltage radiation, L. S. Taylor, G. Singer—916(A)
Measuring nuclear magnetic moment, I. I. Rabi, J. R. Zacharias, S. Millman, P. Kusch—318(L)

Mechanical harmonic synthesizer-analyzer, S. L. Brown —333(A)
Multivibrator counter circuit, A. Ruark—316(L)
Multivibrators from 200,000 to 1 cycle second, W. D. George—924(A)
New ether-drift interferometer, W. B. Cartmel—108(A)
New mass spectrometer, W. Bleakney, J. A. Hipple, Jr. —521
Nonideal Lloyd's mirror, F. W. Doermann—420
Nuclear recoil in β-ray emission, J. Halpern, H. R. Crane —676(A)
Numerical integration, M. F. Manning, J. Millman—673(L)
Numerical solution of Laplace's equation, G. H. Shortley, R. Weller—207(A)
With oscillograph, C. T. Razor—851(A)
Permanent electrets, W. M. Good—323(A)
Photoelectric counters with Cs cathodes, G. L. Locher—333(A)
Production of uniform magnetic fields, R. J. Stephenson, M. Ference, A. E. Shaw—208(A)
Radiography of thin microtome sections, E. Dershem—202(A)
Reduction of barium oxide, J. P. Blewett—935(A)
Scale of eight circuit, H. Lifschutz, J. L. Lawson—204(A)
Scale for predicting nuclear transformations, V. Karapetoff—675(A)
Sensitivity of balanced space charge method, A. Rostagni —729; R. N. Varney—732
Short exposure; high intensity x-rays, K. H. Kingdon, H. E. Tanis, Jr.—128
Single crystal diffraction patterns, F. Miller, Jr., L. G. Parratt—200(L)
Solar spectrum photography, H. S. Stewart, Jr., B. O'Brien—949(A)
Surface viscosimeter, W. D. Harkins, J. G. Kirkwood—322(A)
Temperature control for absorption cells, D. Williams, R. Taschek—851(A)
Theory of scaling circuit, L. Alaoglu, N. M. Smith, Jr.—832
Thermionic cathode, new type, A. W. Hull—936(A)
Three-component accelerometer, J. E. Shrader—333(A)
Ultramicrometer, D. L. Arenberg, P. M. Roope—687(A)
Unusual demonstrations with piezoelectric resonators, K. S. Van Dyke—686(A)
Vacuum furnace for production of single crystals, F. C. Nix—917(A)
Vacuum tube frequency meter, H. Lifschutz—950(A)
Vacuum-type centrifuge, S. A. Black, J. W. Beams, L. B. Snoddy—924(A); J. W. Beams, C. Skarstrom—327(A)
Velocity of sound in air, R. C. Colwell, A. W. Friend, D. A. McGraw—686(A)
Viewing and measuring instrument for cloud chamber, C. Jones, A. Ruark—677(A)
Viscometer for lubricating oils, B. W. Thomas, R. B. Dow, W. R. Ham—926(A)
Voltage multiplying circuit, S. K. Allison, G. T. Hatch, L. S. Skaggs, N. M. Smith, Jr.—204(A)
Wilson cloud chamber control, I. I. Hopkins, R. T. Dickerson, W. M. Nielsen—850(A)
X-ray camera for high temperatures, C. Nusbaum—918(A)
X-ray generator for biological experiments, G. Failla—916(A)
Young's modulus, determination of, R. R. Jacobs, D. Bancroft—687(A)

Mobility of ions (see **Ions, mobility**)

Molecular structure and constants (see also **Spectra, molecular and Raman spectra**)
Deuterium bonds, W. Gordy—851(A)
Potential barrier in ethylene chloride, J. Y. Beach, K. J. Palmer—685(A)
Potential functions of the methyl halides, D. M. Dennison, Z. I. Slawsky—930(A)

Neutrino (see also **Radioactivity**)
Evidence for neutrino, H. R. Crane, J. Halpern—789
Heavy neutrino, F. L. Arnot—1018(L)
Heavy particles; existence of, G. E. M. Jauncey—106(L)

Neutrons (see also **Scattering of electrons, neutrons and ions**)
Absorption in boron, H. C. Torrey—266(L)
Absorption by Cl, E. O. Salant, W. J. Horvath—943(A)
Albedo, slow neutrons, E. Fermi, E. Amaldi, G. C. Wick —493(L)
Angular distribution, M. L. Pool—334(A); J. G. Hoffman, M. S. Livingston—1020(L)
From B+H^2, H. Staub, W. E. Stephens—212(A)
From C^{12}+H^2, T. W. Bonner—496(L)
Collimation of slow neutrons, J. G. Hoffman, M. S. Livingston—676(A)
Distribution from Li+H^2, M. L. Pool—707
Emission from A, Cl, Al and under He^4 bombardment, E. Pollard, H. L. Schultz, G. Brubaker—351
Interaction with normal and parahydrogen, J. R. Dunning, H. J. Hoge, J. H. Manley, F. G. Brickwedde—205(A)
From Li+H^2, W. E. Stephens—212(A); 223
Magnetic properties of free neutrons, O. Frisch, H. von Halban, Jr., J. Koch—719
Magnetic scattering and magnetization of iron, H. G. Beyer, H. Carroll, C. Witcher, J. R. Dunning—947(A)
Minimum energy for disintegration, R. Sagane—492(L)
Multiple ejection from excited nuclei, R. L. Thornton, J. M. Cork—922(A)
Passage through lead, E. Hudspeth, T. W. Bonner—928(A)
Properties of slow neutrons, J. G. Hoffman, M. S. Livingston—929(A)
Scattering of fast neutrons, R. F. Bacher, D. C. Swanson —676(A); 922(A)
Scattering by gases, H. Carroll, H. G. Beyer, K. Wilhelm J. R. Dunning—947(A)
Spin, H. H. Goldsmith, L. Motz—947(A)

Nuclear moments and spin (see also **Hyperfine structure**)
Electron pair theory of particle interaction, R. E. Marshak, H. A. Bethe—677(A); Erratum 950(A)

Nuclear moments and spin (continued)
Hyperfine structure of spectral lines from atomic beams, K. W. Meissner—677(A)
Of In^{115}, S. Millman, I. I. Rabi, J. R. Zacharias—331(A); 384
Of Li^{6} and K^{41}, J. E. Gorham—331(A)
Of Li^{7}; magnetic, H. A. Bethe—842(L)
Magnetic moment of Li^{7}, perturbation theory, D. R. Inglis—880; 939(A)
Magnetic moments of Li^{6}, Li^{7} and F^{19}, I. I. Rabi, S. Millman, P. Kusch, J. R. Zacharias—495(L)
Magnetic moments of Li^{6} and K^{41}, signs of, J. E. Gorham —563
Magnetic moments; theory, D. R. Inglis—470
Of Mn, R. A. Fisher, E. R. Peck—685(A)
Measuring nuclear magnetic moment, I. I. Rabi, J. R. Zacharias, S. Millman, P. Kusch—318(L)
Of Ne and A, J. M. B. Kellogg, N. F. Ramsey—331(A)
Quadrupole and magnetic moments, K. Way—685(A)
Relativistic spin-orbit coupling, S. M. Dancoff, P. Morrison—211(A)
Spin of neutron, H. H. Goldsmith, L. Motz—947(A)

Nucleus (see also **Disintegration of nucleus; Energy states of nucleus**)
Barytron theory of nuclear forces, H. A. Bethe—938(A)
Dynaton theory of nuclear forces, R. Serber—211(A)
Electromagnetic properties of nuclear systems, W. E. Lamb, Jr., L. I. Schiff—651
Excitation of nuclei, V. Weisskopf—1018(L)
Ground state of deuteron, R. G. Sachs, M. Goeppert-Mayer—991
Penetrability of potential barrier, F. C. Hoyt—673(L)
Relativistic equations, nuclear particles, G. Breit—153
Rotation of atomic nuclei, E. Teller, J. A. Wheeler—684(A); 778
Saturation of nuclear forces, C. Critchfield, E. Teller—684(A); 812
Saturation requirements for forces, G. Breit, E. Wigner —998

Optical constants and properties
Of fluorite in the 6μ region, D. Williams—930(A)
Intermetallic compounds, A. P. Friesen—688(A)
Of liquid thallium, A. P. Friesen—678(A)
Lorenz-Lorentz constant for paraffin oil, A. P. Friesen—688(A)
Refractive index and dispersion of distilled water, L. W. Tilton, J. K. Taylor—918(A)
Refractive index of air, D. Bender—852(A)

Optical instruments (see also **Methods and instruments**)
Oblique ether-drift interferometer, W. B. Cartmel—949(A)

Optical theory
Ether-drift interferometer, theory of, W. B. Cartmel—949(A)
Nonideal Lloyd's mirror, F. W. Doermann—420

Packing fraction (see also **Isotopes**)
Energy of heavy nuclei, A. J. Dempster—64; 869
Of Ti, Fe, Cu, Ag, Au and Pt, A. J. Dempster—202(A)

Photoelectric effect and properties; cells
Energy distribution of photoelectrons from Na, A. G. Hill—184
Sensitization of Al, L. P. Thein—287
Spectral sensitivity of Sr and Mg, R. J. Cashman, E. Bassoe—919(A)
Thoriated tungsten surfaces, A. King—570
Threshold and intensity from Bi film, A. H. Weber—895

Photography
Camera error and photogrammetric mapping, I. C. Gardner—945(A)
Variation of contrast with wave-length, W. R. Koch—325(A)

Photovoltaic effect
In polarized light, R. G. Wilson—264(L)

Piezoelectric effect
Unusual demonstrations with piezoelectric resonators, K. S. Van Dyke—686(A)
Vibration modes of low decrement, K. S. Van Dyke—945(A)

Positive electron
Energy loss in Al, B. R. Curtis—986

Quantum mechanics (see **Mechanics, quantum**)

Radiation (see also **Thermal radiation**)
Asymmetric radiation produced by β-rays, G. B. Collins, V. G. Reiling—205(A); 948(A)
Discharges under nearly complete ionization, F. L. Mohler—683(A); 923(A)
λT relation for black-body radiation, F. Benford, A. G. Worthing—948(A)
Luminosity of yellow and green Hg lines, W. E. Forsythe, B. T. Barnes, A. L. Shrider—678(A)

Radioactivity (see also **Disintegration of nucleus**)
Of air, water, cave and soil gases, O. G. Fryer—325(A)
Alpha-particle mean range standards, M. S. Livingston, M. G. Holloway—922(A)
Of As, B. R. Curtis, J. M. Cork—681(A)
β-emission, nuclear K-electron capture, E. C. Campbell —206(A)
β-spectrum of RaE, A. I. Alichanian, A. I. Alichanow, B. S. Dželepow—766(L)
β-spectrum of ThC, A. I. Alichanian, S. J. Nikitin—767(L)
Of Be^{7}, R. B. Roberts, N. P. Heydenburg, G. L. Locher—1016(L)
Of Co, J. J. Livingood, G. T. Seaborg—847(L)
In Cu, long period, S. W. Barnes, G. Valley—946(A)
Of Cu, Zn, Ga and Ge isotopes, R. Sagane—212(A)
Deposition of Ra Cu on rotating cathode, J. Steigman—771(L)
Disintegration constant of thorium, A. F. Kovarik, N. I. Adams, Jr.—928(A)
Energy of β-rays, G. E. M. Jauncey—106(L)
γ-radiation from $B+H^{2}$, W. A. Fowler, E. R. Gaerttner, C. C. Lauritsen—942(A)
γ-radiation from In, B. R. Curtis, J. R. Richardson—942(A)

γ-radiations from Eu^{152} and Au^{198}, J. R. Richardson—942(A)
Gamma-radiation from N^{13}, J. R. Richardson—610(L)
Gamma-rays from I^{128}, A. Roberts, J. W. Irvine, Jr.—609(L)
Gamma-rays from V^{48}, N^{13}, Cu^{64}, Mg^{27} and Na^{24}, J. R. Richardson—124
Of In, by slow neutrons, A. C. G. Mitchell—269
Induced by high energy protons, L. A. DuBridge, S. W. Barnes, E. O. Wiig, J. H. Buck, C. V. Strain—326(A); C. V. Strain, J. H. Buck—943(A); L. A. DuBridge, S. W. Barnes, J. H. Buck, C. V. Strain—447
Induced in Ni, Cu, Mg and Ag by H^1, L. N. Ridenour, L. A. Delsasso, M. G. White, R. Sherr—770(L)
Induced in the rare earths by neutrons, M. L. Pool, L. L. Quill—326(A); 437
Of I, J. J. Livingood, G. T. Seaborg—1015(L)
Isomerism in Ra Ag and *K* electron capture, M. L. Pool, E. C. Campbell—272
Isomers of In^{116}, A. C. G. Mitchell, L. M. Langer—505; 675(A); M. L. Pool—611(L)
Half-life of actino-uranium, A. O. Nier—922(A)
Mean life of Ru 87, E. J. Konopinski, H. A. Bethe—679(A)
Of Ni^{57} and Ni^{63}, J. J. Livingood, G. T. Seaborg—847(L)
Of K, A. Bramley, A. K. Brewer—502
K electron capture in gallium, L. W. Alvarez—606(L)
Produced by cosmic-rays, W. E. Ramsey, C. G. Montgomery, D. D. Montgomery—196(L)
Proton bombardment of various elements, R. Sherr, M. C. Henderson, M. G. White, L. A. Delsasso, L. N. Ridenour—946(A)
Range and specific ionization of α-particles, M. G. Holloway, M. S. Livingston—676(A)
Of Sc, J. M. Cork, R. L. Thornton—866
Short-lived radioelements, L. W. Alvarez—215(A)
In Ag, M. L. Pool—116; 206(A)
Substandards of feeble radioactivity, R. D. Evans, C. Goodman—916(A)
Of Ta, O. Oldenberg—35; 109(A)
Of Te, G. F. Tape, J. M. Cork—676(A)
In Ur, P. Abelson—211(A)
Of Zn, R. L. Thornton—326(A)
Of Zn by α-particle bombardment, W. B. Mann—212(A)
Of Zn and Co, C. Perrier, M. Santangelo, E. Segrè—104(L)

Raman spectra
Of disubstituted acetylenes, F. F. Cleveland, M. J. Murray—330(A); 931(A)
Of S, S. Bhagavantam—1015(L)

Reflecting power (see also **Absorption and reflection of light**)
Infra-red spectrometer with fluorite prisms, E. S. Barr—852(A)

Relativity
Eddington's treatment of Dirac's equation, B. Podolsky—591
New ether-drift interferometer, W. B. Cartmel—108(A)
Oblique ether-drift interferometer, W. B. Cartmel—949(A)
Relativistic equations; nuclear particles, G. Breit—153
Trouton-Nobel experiment, P. B. Carwile—924(A)

Resistance, electrical (see **Electrical conductivity and resistance**)

Scattering of atoms and molecules (see also **Atomic and molecular beams**)
α-particles by Ne and H^2, J. T. McCarthy—30
Scattering of H^1 by H^1, L. R. Hafstad, N. P. Heydenburg, M. A. Tuve—239

Scattering of electrons, neutrons, and ions (see also **Electrons, scattering of; Electron diffraction**)
Angular distribution, J. G. Hoffman, M. S. Livingston—1020(L)
Atomic electron velocities, A. L. Hughes, M. M. Mann, Jr.—50
Effect of valence electrons on intensities, V. A. Johnson, H. M. James—327(A)
Energy loss of positrons, B. R. Curtis, J. M. Cork—206(A)
Of fast electrons in gases, J. B. H. Kuper—993
Of fast electrons and positrons in Pb, J. Oppenheimer, W. A. Fowler—928(A)
Of fast neutrons, elastic and inelastic, D. C. Grahame, G. T. Seaborg—795
Of neutrons by deuterons, P. G. Kruger, W. E. Shoupp, R. E. Watson, F. W. Stallmann—1014(L)
Of He^4 by A, O, and Ne, G. Brubaker—921(A)
Inelastic scattering by Ag, J. C. Turnbull, H. E. Farnsworth—944(A)
Magnetic scattering and magnetization of iron, H. G. Beyer, H. Carroll, C. Witcher, J. R. Dunning—947(A)
Multiple scattering of electrons, M. E. Rose—937(A)
Multiple scattering of neutrons, O. Halpern, R. Lueneburg, O. Clark—173
Of neutrons by gases, H. Carroll, H. G. Beyer, K. Wilhelm, J. R. Dunning—947(A)
Of neutrons by gases, H. Carroll, P. N. Powers, H. G. Beyer, J. R. Dunning—680(A)
Of neutrons by paramagnetic media, J. H. Van Vleck—680(A)
Of neutrons by protons, theory of, R. G. Sachs, M. Goeppert-Mayer—991
Of neutrons by various elements, W. H. Zinn, S. Seely, V. W. Cohen—921(A)
Of H^1 and H^2 by deuterium and by helium, N. P. Heydenburg, R. B. Roberts—922(A)
Profile of Compton band determined by electron scattering, A. L. Hughes, M. M. Mann, Jr.—204(A)
Resonance scattering of charged particles, O. Halpern, M. H. Johnson, Jr.—939(A)
Scattering of fast neutrons, R. F. Bacher, D. C. Swanson—676(A); 922(A)
Of slow positive ions, A. G. Emslie—680(A)

Scattering of light (see also **Raman spectra**)
Diffraction of electromagnetic waves, E. Guth—688(A)

Secondary electrons (see **Electrons, secondary**)

Spectra, absorption (see also **Absorption of light**)
Atmospheric absorption by water, W. M. Elsasser—768(L)

Spectra, absorption (continued)
Of benzene at 2700–2200A, H. Sponer, G. Nordheim A. Sklar—932(A)
Of $C^{13}O_2^{16}$ at 4.375μ, A. H. Nielsen—983
Of CsH, G. M. Almy, M. Rassweiler—890
Of diatomic fluorides in carbon-tube furnace, F. A. Jenkins, G. D. Rochester—213(A)
4.3μ band in CO_2, D. M. Cameron, H. H. Nielsen—246
Of gaseous and solid benzene, A. L. Sklar, H. Sponer, G. Nordheim—932(A)
Of heavy formic acid, R. Hofstadter—941(A)
Of PbSe, SnSe and PbTe, J. W. Walker, J. W. Straley, A. W. Smith—140
Of light and heavy acetic acids, R. C. Herman, R. Hofstadter—940(A)
Of liquid crystal, R. Taschek, D. Williams—852(A)
Of methyl alcohol, infra-red, A. Borden, E. F. Barker—932(A)
Of mixtures of phenol and ethyl alcohol, infra-red, J. W. White, E. K. Plyler—932(A)
Of nitrate solutions, D. Williams, L. Decherd—852(A)
Quadrupole rotation-vibration, of H_2, H. M. James, A. S. Coolidge—208(A)
Quantitative test for free hydroxyl, O. Oldenberg, F. F. Rieke—941(A)
Rotational transitions in water molecules in nonpolar solvents, J. W. Ellis, E. L. Kinsey—672(L)
Of SeH_2, infra-red, W. C. Sears, D. M. Cameron, H. H. Nielsen—330(A)
Of simple hydrocarbons, E. P. Carr, H. Stücklen—109(A)
Of SrH and SrCl, K. R. More, S. D. Cornell—678(A); 806
Of water vapor in extreme ultraviolet, J. J. Hopfield—931(A)

Spectra, atomic
Of Bi I, H. E. Clearman, Jr.—941(A)
Of Ce II, W. Albertson, G. Harrison—108(A); 940(A)
Of Cl VII, L. W. Phillips—248
Of Co VI, low terms, I. S. Bowen—889
Complex spectra, theory of, G. H. Shortley, B. Fried—931(A)
Of Ge, infra-red, C. C. Kiess—931(A)
Intensity relations in He arc, J. J. Heilemann—977
Of Mn II, C. W. Curtis—474
Of OsI and IrI, W. Albertson—940(A)
Pressure shifts, H. Margenau, W. S. Wilson—941(A)
Resonance broadening, W. V. Houston—213(A)
Self-consistent field for Fe, M. F. Manning, L. Goldberg—662
Term values in C, C. W. Ufford—568
Of Xe II, C. J. Humphreys—940(A)

Spectra continuous
Of He, A. G. Shenstone—941(A)

Spectra, general
Distribution of mineral elements in sugar cane, spectrographic study, S. S. Ballard—689(A)
Of H_2, arc, different conditions, R. W. Wood, G. H. Dieke—146
Intensity relations in He arc, J. J. Heilemann—977
Luminosity of yellow and green Hg lines, W. E. Forsythe, B. T. Barnes, A. L. Shrider—678(A)
Radiation in positive column of Hg arc, intensities, B. T. Barnes, E. Q. Adams—545

Spectra, molecular
Of SbN, N. H. Coy, H. Sponer—495(L)
Of CeO and PrO, W. W. Watson—639; 678(A)
Centrifugal distortion of axial molecules, Z. I. Slawsky—924(A)
D system of SrH analysis, K. R. More, S. D. Cornell—931(A)
Infra-red wave-lengths, for calibration, P. E. Shearin, E. K. Plyler—851(A)
Isotopic shift in MgI, K. W. Meissner—931(A)
Hg-Tl bands, J. G. Winans, F. J. Davis—930(A)
Rotational energy distribution of OH, E. R. Lyman, F. A. Jenkins—214(A); E. R. Lyman—379
$^3\Sigma - {}^3\Pi$ bands of BF, F. W. Paul, H. P. Knauss—930(A)

Spectroscopy, technique
Grating, mounting for, H. Sponer, W. Hurst—851(A)

Structure factor
In Zn-Cu alloy, R. A. Howard—324(A); 966

Thermal conductivity
Of Hg, Na and Na amalgams, W. C. Hall—1004

Thermal diffusivity
Thermal diffusion and turbulent air flow, H. K. Skramstad, G. B. Schubauer—927(A)

Thermal expansion
Of the alkalis, L. Balamuth—669(L)
Of some heat-resisting alloys, P. Hidnert—925(A)

Thermal radiation (see also **Radiation**)
Emissivity of metals, E. Guth—682(A)
Rayleigh-Jeans formula and experiment, P. B. Carwile—682(A)

Thermionic emission of electrons; Emitting surfaces
Deviation from Schottky line for W, R. L. E. Seifert, T. E. Phipps—493(L)
New type of cathode, A. W. Hull—936(A)
Thoriated tungsten surfaces, A. King—570
Work functions of crystallographic planes of tungsten, S. T. Martin—937(A)

Thermodynamics
Stefan's radiation law and Nernst's theorem, A. E. Haas, E. Guth—324(A)

Van der Waals forces
Between symmetrical rotators, K. G. Carroll—310
In He, C. H. Page—426

Viscosity
Air-lubricated journal bearings, M. D. Hersey—926(A)
Film lubrication of journal bearing, S. M. Skinner—927(A)
Of monolayers, W. D. Harkins, J. G. Kirkwood—322(A)
Of sols made from x-irradiated apple pectin, C. H. Dwight, H. Kersten—926(A)
Of suspensions, E. Guth, O. Gold—322(A); E. Guth—926(A)
Viscometer for lubricating oils, B. W. Thomas, R. B. Dow, W. R. Ham—926(A)

X-rays, absorption
Absorption in Be, C, Al, Cu, Ag and Au, C. L. Andrews—679(A)
Argon, *K* absorption limit, F. K. Richtmyer, L. G. Parratt—678(A)

X-rays, diffraction, scattering, reflection, refraction and polarization
In A, J. B. Green, B. Fried, J. F. Eichelberger—934(A)
Atomic distribution in liquid K, C. D. Thomas, N. S. Gingrich—934(A)
Atomic distribution in liquid Na, F. H. Trimble, N. S. Gingrich—203(A); 278
Atomic distribution in liquid white P, N. S. Gingrich, C. D. Thomas—943(A)
Barium-copper-stearate films, properties of, C. Holley—534
Characteristic temperature of MgO, H. S. Ribner, E. O. Wollan—332(A); 972
Characteristic temperature of Zn crystals, G. E. M. Jauncey—203(A)
Diffraction in ionic solutions, G. W. Stewart—202(A)
Effect of temperature on reflection, W. M. Schwarz—919(A)
Hollow cathode discharge as source for Zeeman effect, R. A. Fisher, A. S. Fry, J. R. Platt—934(A)
In Ne, J. A. Peoples, Jr., J. B. Green—934(A)
Position of Compton band, G. E. M. Jauncey—332(A)
In quartz, oscillating and non-oscillating, G. W. Fox, J. R. Frederick—135
Radial lines in Laue spots, A. P. R. Wadlund—843(L); W. H. Zachariasen—844(L); C. S. Barrett—1021(L)
Single crystal diffraction patterns, F. Miller, Jr., L. G. Parratt—200(L)
Verification of dispersion theory, W. A. Bruce, G. E. M. Jauncey—332(A); W. A. Bruce—802

X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Absorption edges and their fine structure, theory of, R. Landshoff—332(A)
Continuous x-ray spectrum near Duane-Hunt limit, E. Brunner—457
$K\alpha_{1,2}$ line of Na, chemical combination, N. G. Johnson—434(L)
$K\beta$ group of NaCl and KCl, J. Valasek—274
K fluorescent lines of chemical compounds, L. Obert, C. H. Shaw—919(A)
Widths of energy states, L. G. Parratt—679(A)
Widths and intensities of *L* lines of rare earth elements, C. H. Shaw—940(A)

X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Integrated intensity from x-ray powder photographs, E. O. Wollan—208(A)

X-rays, tubes, apparatus
Focusing by rocksalt crystal, R. M. Bozorth, F. E. Haworth—538; I. Fankuchen—910(L)
Intensifying screens in x-ray diffraction work, C. Gamertsfelder, N. S. Gingrich—332(A)
Short exposure; high intensity x-rays, K. H. Kingdon, H. E. Tanis, Jr.—128

Zeeman effect
Of Au, H. N. Maxwell, J. B. Green—330(A)
Of inorganic compounds, J. R. Nielsen, N. E. Ward, H. Dodson—331(A)
$p^5 d$ configurations of Ne and A, J. B. Green, J. A. Peoples, Jr., B. Fried—105(L)
Of Se II, J. B. Green, R. A. Loring—330(A)